

4th International Conference and Exhibition on Addiction Research & Therapy

August 03-05, 2015 Florida, USA

Effectiveness of rational emotive behavior therapy in disputing irrational beliefs of persons with substance used disorders

Adeela Saba, Qudsia Nashee and Naumana Amjad Global welfare organization, Pakistan

The present study explored the Effectiveness of rational emotive behavior therapy in disputing irrational beliefs of persons with substance used disorders. It was hypothesized that there is likely to be a decrease in irrational beliefs of persons with substance used disorders after the treatment (REBT). Repeated measure design was used. Sample consisted of (N=12) persons with substance use disorder. It was carried out on in door patients of Drug Addiction at Punjab Institute of Mental Health (PIMH), Fountain House Lahore. Demographic information sheet and MSE was used to rule out others psychiatric illness. The Shortened General Attitude and Belief Scale was used to assess pre and post assessment of irrational beliefs. Wilcoxon signed rank test indicated that there were significantly lower scores in irrationality post test compare to pre test. The present study contributes to resolve patient's emotional turmoil that may put an individual at risk of psychological illness caused by irrational beliefs.

Biography

Adeela Saba has completed advance Diploma	in Clinical Psychology from Universit	ty of Sargodha, Pakistan, She is	s working as Psychologist at Global	Welfare Organization, Pakistan,

adeelasaba23@gmail.com

Notes: