

Emerging Vitamin D Receptor-Centered Patterns of Genetic Overlap across Some Autoimmune Diseases and Associated Cancers

Yue Zhang*

Osteoarthritis Research Unit, University of Montreal Hospital Research Centre (CRCHUM), Notre-Dame Hospital, Montreal, Quebec H2L 4M1, Canada

Genetic Regulatory Network (GRN) of Vitamin D Receptor-Centered Hypothesis

An increased risk for complex diseases such as Autoimmune Diseases (ADs) and/or cancer is associated with the aging process but we are not sure what causes such outcomes. With comparative advantages of different model system and recent Genome-Wide Association Studies (GWAS), and ChIP-seq/ChIP-chip studies, we distilled out one attention-deserved Vitamin D receptor -centered hypothesis: the genetic regulatory network of vitamin D receptor (VDR, homologue of DAF-12 in *Caenorhabditiselegans*) may play a central role as a common basis preventing some autoimmune diseases and associated cancers [1-3]. Further, we predict, similar to DAF-21 /HSP90VDR may buffer disease-causing genetic mutations and/or variations the diseases phenotype may come up with polygenic genetic mutations and/or variations along with deficiency of vitamin D and lacking of UVB and mal-functional DAF-12/VDR with lose of its buffering ability as a capacitor [1,3,4]. Decoding the genetics of these complex diseases associated with the aging process is helpful to understand the controversies the beneficial effects of vitamin D supplementation on them [5]. We highlighted that environmental factor-induced mal-functional DAF-12/VDR may be postulated to cause in situ dys-regulation of expression of an array of its target genes (in press, whose citrullination of such in situ dys-regulated genes might be tightly mediated by VDR-orchestrated processes and consequently ends with autoimmunity. If it were the case, those "loci" identified by GWAS collectively have a significance of gene function [1,6].

GRN of VDR (and DAF-12) may Act as a Capacitor

We human beings survive well the challenges of genetic variations and environmental factors via the robustness of complex genetic regulatory networks in our bodies, possibly including one of VDR as a capacitor and probably similar to DAF-12 in *C.elegans* [7]. Decreases in the VDR pathway resulting from of vitamin D deficiency and/or a lack of UVB could enhance some disease-causing morphological variants. Moreover, GRN of DAF-12/VDR intertwines microRNA regulations, autophagy, longevity and cellular reprogramming, and forward or feedback loops [4]. When VDR function is in studys-regulated due to genetic defects or by vitamin D unavailability, it may remodel many different processes alongside adjustments of multiple signal transducers and thereby simultaneously disturbing several developmental pathways as DAF-12/VDR if out of its buffering capability, the ADs and associated cancers may come to the patients [1,8].

GRN of VDR may be Consider as Common Basis for ADs and Associated Cancers?

Although further testing is awaiting for, one GWAS reveals that one allelic VDR variant may link to clinical autoimmune antibodies including anti-p150 (TRIM33/ TIF-1 γ)/p140(TRIM24/TIF-1 α) whose natural self-antigens may correlate with protein products encoded by TIF-1 γ/α , whose homologues *flt-1* and *nhl-2* are direct targets of DAF-12/VDR [8,9]. DAF-12/VDR target genes from our ChIP-chip

screening showed many overlaps with validated homologues identified in human VDR studies and significantly enriched near genes that are pathologically associated with ADs and cancer [8]. But it is necessary to experimentally test these overlaps in human VDR.

One of our recent experiences is as follow

Once new key regulators for ADs were published online first, we predicted, they would act as putative target candidates of DAF-12/VDR; amazingly, the majority if not all turned out to be the case. For instance, key regulator FBN1 responsible for fibrosis and autoimmunity in mouse models of scleroderma is found as the homolog of *fb1-1* in *C. elegans*, the putative target of DAF-12/VDR [10]. Another GWAS identified genetic variants for joint damage progression in autoantibody-positive rheumatoid arthritis (RA) and three key genes (sperm-associated antigen 16 (SPAG16), and Matrix Metalloproteinase1 and 3 (*MMP1* and *MMP3*) [11]. They are among human homologue candidates of DAF-12/vitamin D receptor (VDR) target genes [2,7,8,12]. However, Miller et al. reporting on GWAS of Dermatomyositis (DM), found a genetic overlap with other ADs, as the first genetic predispositions towards ADs shared with DM [13]. The latest case is *rpc-1* responsible for both the scleroderma and cancer [14]. Moreover, other patterns of genetic overlap across ADs have emerged [13,15]. Likely, a malfunction of VDR could affect the pathogenesis of RA and associated cancers expanding to many other ADs, Paraneoplastic Neurological Diseases(PND) and DM (Table 1) [1,13,14,16,17-24]. In addition, VDR ChIP-seq in primary CD4+ cells relates serum 25-hydroxyvitamin D levels to autoimmune disease [25]. In closing, the patho-physiology of ADs (at least subgroup) may share their common underlying mechanisms of genetic regulatory network of VDR.

Perspectives

Before a definitive rejection or acceptance of the hypothesis can be made, further studies are warranted including first confirmation of VDR in mammalian systems. If being accepted, much attention will need pay to preventive effects of vitamin D, particularly if some processes under the control of VDR are irreversible like "one-way" traffic. However, without a thorough understanding of the mechanisms

*Corresponding author: Yue Zhang, CRCHUM, Notre-Dame Hospital, 1560 Sherbrooke Street East, Pavillon DeSève, Room Y2625, Montreal, Quebec, Canada H2L 4M1, Tel: 1-514-890-8000(ext 23875); Fax: 1-514-412-7583; E-mail: zhanglee2006@gmail.com

Received December 11, 2013; Accepted December 15, 2013; Published December 22, 2013

Citation: Zhang Y (2013) Emerging Vitamin D Receptor-Centered Patterns of Genetic Overlap across Some Autoimmune Diseases and Associated Cancers. J Genet Syndr Gene Ther 4: e123. doi:10.4172/2157-7412.1000e123

Copyright: © 2013 Zhang Y. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Aceview mapping of homologues of the DAF-12/VDR target genes to key genes described in recent AD or associated cancer-related publications		
Gene (Human homologue of the VDR target/C.elegans homologue of the DAF-12 target)	Type of diseases	References
ZGPAT/C33H5.17	UC,CD	[21]
CCR7 /R106.2	T1D	[21]
PLCL/pII-1	CD,DM	[13,21]
RPL19PB/rpl19	MS	[21]
TNFAIP3/Y59C1A.1	RA, SLE, UC, SSc	[21]
Pxk/ wnk-1	SLE	[21]
IKZF1/PRDM16/egl-43, the closest DAF-12/VDR binding loci 15 kb distant from the R53.5, R53.6, R53.7a, R53.8 regions.	CD	[21]
BLK/src-1	SLE,RA,DM	[13, 21]
RBPj/lag-1	T1D, RA	[21]
GOT1/T01C8.5	CD, UC	[21]
Jak2/csnk-1/Y106G6E.6	CD, UC	[21]
IFIH1/drh-1	Multiple	[21]
Jak2/ csnk-1	CD, UC	[23]
NKX2.3/ceh-24.	CD,UC	[23]
SMAD3/daf-3.		[23]
PRDM1/blmp-1, the closest DAF-12/VDR binding locus in ChIP-chip online target list <10 kb distant from the Y106G6H.1 region.	CD,UC	[23]
HNF4a/nhr-64.	UC	[23]
LAMB1/lam-1/W03F8.5.	UC	[23]
xpa-1 /K07G5.2, the closest DAF-12/VDR binding locus in the ChIP-chip online target list to the K07G5.1 and K07G5.6 regions.	PND	[17]
Smarcal1/C16A3.1, the closest DAF-12/VDR binding locus in the ChIP-chip online target list to the C16A3.6, C16A3.7a, C16A3.8 and C16A3.11 regions.	PND	[17]
ELF1/elf-1.	PND	[17]
DBR1/C55B7.8 the closest DAF-12/VDR binding locus in the ChIP-chip online target list 5 kb distant from the C55B7.3 region.	PND	[17]
TIFα/TRIM24/ftt-1	DM, cancer	[18,27]
TIFβ/TRIM28/ncl-1	DM, cancer	[18]
TIFγ/TRIM33/nhl-2	DM, cancer	[18]
AIRE/Mi-2β/let-418	DM, cancer	[22,24]
Foxp3/fkh-7	DM, cancer	[22,24]
ADAM33/adm-2	Asthma	[22]
GPRA/gnrr-1/F5D7.3	Asthma	[22]
RPC-1/rpc-1	SSC, cancer	[14]
Topoisomerase I /top1	SSC	[14]

Note 1: T1D: Type 1 Diabetes; SLE: Systemic lupus erythematosus; DM: dermatomyositis; SSc: Systemic scleroderma; CD: Crohn's disease; CeLD: Celiac disease; MS: multiple sclerosis; RA: Rheumatoid arthritis; PND: Paraneoplastic neurological disorder; UC: Ulcerative colitis.
Note 2: the original full list for the DAF-12/VDR target genes online target is available in the supplementary materials [8]. See NCBI Aceview for their human homologues or vice versa.

Table 1: Representative DAF-12 and VDR -shared/conserved target genes and the type of associated AD and cancers.

of ADs and associated cancers, it seems to be too early to claim that the majority of Americans and Canadians are receiving adequate amounts of both calcium and vitamin D, though it is necessary to warn of the toxicity of vitamin D with bigger doses for some populations [26,27]. Studies should also classify the different degrees of “at-risk” genotype (Zhang Y, *in press*) in that the vitamin D deficiency likely remains under recognised, undetermined and untreated. As we human beings are out-breeding, the models may be extremely useful in eventually contributing to an understanding of the effects of vitamin D and its receptors at complex diseases such as ADs and associated cancers at both cellular and organism levels [6,16].

References

- Zhang Y (2013) Genetic basis of DAF-12/vitamin D receptor (VDR) in autoimmune immunity, autoimmune diseases and associated cancers. Cloning Transgen 2: 105.
- Yang CY, Leung PS, Adamopoulos IE, Gershwin ME (2013) The implication of vitamin D and autoimmunity: a comprehensive review. Clin Rev Allergy Immunol 45: 217-226.
- Messing JA, Heuberger R, Schisa JA (2013) Effect of Vitamin D3 on Lifespan in *Caenorhabditis Elegans*. Curr Aging Sci.
- Rutherford SL, Lindquist S (1998) Hsp90 as a capacitor for morphological evolution. Nature 396: 336-342.
- Rosen CJ, Taylor CL (2013) Common misconceptions about vitamin D--implications for clinicians. Nat Rev Endocrinol 9: 434-438.
- Chakravarti A, Clark AG, Mootha VK (2013) Distilling pathophysiology from complex disease genetics. Cell 155: 21-26.
- Greer EL, Maures TJ, Hauswirth AG, Green EM, Leeman DS, et al. (2010) Members of the H3K4 trimethylation complex regulate lifespan in a germline-dependent manner in *C. elegans*. Nature 466: 383-387.
- Hochbaum D, Zhang Y, Stuckenholtz C, Labhart P, Alexiadis V, et al. (2011) DAF-12 regulates a connected network of genes to ensure robust developmental decisions. PLoS Genet 7: e1002179.
- Kapoor S, Cooper, Robert G, Chinoy, Hector, et al. (2009) The Relationship Between the Vitamin D Receptor Gene and Anti-155/140 Antibodies in UK Caucasians with Idiopathic Inflammatory Myositis. Arthritis Rheum 60: 805.
- Gerber EE, Gallo EM, Fontana SC, Davis EC, Wigley FM, et al. (2013) Integrin-

- modulating therapy prevents fibrosis and autoimmunity in mouse models of scleroderma. *Nature* 503: 126-130.
11. Knevel R, Klein K, Somers K, Ospelt C, Houwing-Duistermaat JJ, et al. (2013) Identification of a genetic variant for joint damage progression in autoantibody-positive rheumatoid arthritis. *Ann Rheum Dis*.
 12. Motola DL, Cummins CL, Rottiers V, Sharma KK, Li T, et al. (2006) Identification of ligands for DAF-12 that govern dauer formation and reproduction in *C. elegans*. *Cell* 124: 1209-1223.
 13. Miller FW, Cooper RG, Vencovský J, Rider LG, Danko K, et al. (2013) Genome-wide association study of dermatomyositis reveals genetic overlap with other autoimmune disorders. *Arthritis Rheum* 65: 3239-3247.
 14. Joseph CG, Darrah E, Shah AA, Skora AD, Casciola-Rosen LA, et al. (2013) Association of the Autoimmune Disease Scleroderma with an Immunologic Response to Cancer. *Science*.
 15. Richard-Miceli C, Criswell LA (2012) Emerging patterns of genetic overlap across autoimmune disorders. *Genome Med* 4: 6.
 16. Zhang Y. Gaps (2013) Transgenesis, model organisms, and human diseases. *Clon Transgen* 2: 103.
 17. Larman HB, Zhao Z, Laserson U, Li MZ, Ciccio A, et al. (2011) Autoantigen discovery with a synthetic human peptidome. *Nat Biotechnol* 29: 535-541.
 18. Fiorentino D, Casciola-Rosen L (2012) Autoantibodies to transcription intermediary factor 1 in dermatomyositis shed insight into the cancer-myositis connection. *Arthritis Rheum* 64: 346-349.
 19. Shah AA, Rosen A, Hummers L, Wigley F, Casciola-Rosen L (2010) Close temporal relationship between onset of cancer and scleroderma in patients with RNA polymerase I/III antibodies. *Arthritis Rheum* 62: 2787-2795.
 20. Shah AA, Rosen A (2011) Cancer and systemic sclerosis: novel insights into pathogenesis and clinical implications. *Curr Opin Rheumatol* 23: 530-535.
 21. Ramos PS, Criswell LA, Moser KL, Comeau ME, Williams AH, et al. (2011) A comprehensive analysis of shared loci between systemic lupus erythematosus (SLE) and sixteen autoimmune diseases reveals limited genetic overlap. *PLoS Genet* 7: e1002406.
 22. Rioux JD, Abbas AK (2005) Paths to understanding the genetic basis of autoimmune disease. *Nature* 435: 584-589.
 23. Lees CW, Barrett JC, Parkes M, Satsangi J (2011) New IBD genetics: common pathways with other diseases. *Gut* 60: 1739-1753.
 24. Gregersen PK, Behrens TW (2006) Genetics of autoimmune diseases--disorders of immune homeostasis. *Nat Rev Genet* 7: 917-928.
 25. Handel AE, Sandve GK, Disanto G, Berlanga-Taylor AJ, Gallone G, et al. (2013) Vitamin D receptor ChIP-seq in primary CD4+ cells: relationship to serum 25-hydroxyvitamin D levels and autoimmune disease. *BMC Med* 11: 163.
 26. White JH (2013) Vitamin D and human health: more than just bone. *Nat Rev Endocrinol* 9: 623.
 27. Tsai WW, Wang Z, Yiu TT, Akdemir KC, Xia W, et al. (2010) TRIM24 links a non-canonical histone signature to breast cancer. *Nature* 468: 927-932.

Citation: Zhang Y (2013) Emerging Vitamin D Receptor-Centered Patterns of Genetic Overlap across Some Autoimmune Diseases and Associated Cancers. *J Genet Syndr Gene Ther* 4: e123. doi:[10.4172/2157-7412.1000e123](https://doi.org/10.4172/2157-7412.1000e123)

Submit your next manuscript and get advantages of OMICS Group submissions

Unique features:

- User friendly/feasible website-translation of your paper to 50 world's leading languages
- Audio Version of published paper
- Digital articles to share and explore

Special features:

- 300 Open Access Journals
- 25,000 editorial team
- 21 days rapid review process
- Quality and quick editorial, review and publication processing
- Indexing at PubMed (partial), Scopus, EBSCO, Index Copernicus and Google Scholar etc
- Sharing Option: Social Networking Enabled
- Authors, Reviewers and Editors rewarded with online Scientific Credits
- Better discount for your subsequent articles

Submit your manuscript at: <http://www.editorialmanager.com/omicsgroup/>