



Development of Green synthetic strategies involving formylated ketones

Jai N Vishwakarma

Organic Research Lab., Department of Chemical Science, Assam Don Bosco University, Guwahati-781017, Assam, India, Email: jnvishwakar-ma@rediffmail.com

Abstract:

In view of the synthetic potential and biological properties of enaminones we have developed green synthetic protocols by the reaction of formylated acetophenones with primary amines in aqueous media assisted by KHSO4. This reaction was further generalized in the presence of ultrasound thus achieving the goals within minutes instead of hours (Scheme 1).

Prompted by these findings, we developed synthetic strategies for biologically potential novel pyrazolopyrimidines by reacting 2 with dinucleophiles 6 in aqueous media under ultrasound irradiation.

Biography:

Jai N Vishwakarma has expertise in synthetic organic chemistry with special reference to the development of green synthetic strategies for bioactive molecular entities. He has been working in this area for over 3 decades and has developed many synthetic strategies for various classes of heterocyclic systems such as pyrazoles, pyrimdines, tetrahydropyrimidines, isoxazoles, indoles, pyrazolopyrimidines, molecular hybrids etc.

Recent Publications:

- Dutta MC, Chanda K, Karim E, Vishwakarma JN (2004)
 A facile route to enaminoines: synthesis of 3-alkyl/aral-kyl/arylamino-1-arylprop-2-en-1-ones. Ind J Chem B 43B: 2471-74.
- Devi AS, Dutta MC, Nongkhlaw R, Vishwakarma JN (2010) KHSO4 assisted Michael addition-elimination reactions of formylated acetphenones in water: A facile general green synthetic route to 3-(alkyl/aralkyl/aryl)amino-1-aryl-prop-2-en-1-ones J Indian Chem Soc 87: 739-742.
- Devi AS, Helissey P, Vishwakarma JN (2011) Synthesis of novel bis-enaminones by KHSO4 assisted facile Michael addition-elimination reaction of 3-(dimethylamino)-1-phenylprop-2-en-1-ones with diamines in water. Green and Sustainable Chemistry 1: 30-34.



- Devi AS, Kaping S. Vishwakarma JN (2015) A facile environment friendly one pot two step regioselective synthetic strategy for 3,7-diarylpyrazolo[1,5-a] pyrimidines related to Zaleplon and 3,6-diarylpyrazolo[1,5-a]pyrimidine-7-amines. Mol Divers 19 (4): 759-771.
- Kaping S, Kalita U, Sunn M, Singha LI, Vishwakarma JN (2016) A facile regioselective synthesis of pyrazolo [1,5-a] pyrimidine analogues in the presence of KHSO4 in aqueous media assisted by ultrasound and their anti-inflammatory and anti-cancer activities. Monatsh Chem 147 (7): 1257-1276
- Kaping S, Boiss I, Singha LI, Helissey P, Vishwakarma JN (2016) A facile regioselective synthesis of novel 3-(N-phenyl-carboxamide)pyrazolo[1,5-a]pyrimidine analogues in the presence of KHSO4 in aqueous media aasisted by ultrasound and their anti-bacterial activities. Mol Divers 20(2): 379-390.

Webinar on Green Chemistry Oil & Gas Research, April 19-20,2021

Citation: Jai N Vishwakarma; Development of Green synthetic strategies involving formylated ketones; april 19-20,2021

J Oil Res 2020 Volume: and Issue: S(2)