Editorial Open Access

Different Techniques in Architecture Engineering

Economou A

College of Architecture, Georgia Institute of Technology, USA

*Correspondence to: Athanassios Economou, Associate Professor, College of Architecture, Georgia Institute of Technology, USA, E-mail: thanos.economou@design.gatech.edu

Received date: October 05, 2020; Accepted date: October 15, 2020; Published date: October 22, 2020 Citation: Economou A (2020) Different Techniques in Architecture Engineering. J Archit Eng Tech. 9.e103.

Copyright: © 2020 Economou A. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Editorial

The techniques of design within the sense that they're going to be thought of here ar merely the ways by that structures are fashioned from specific materials. These ways ar influenced not solely by the provision and character of materials however conjointly by the entire technological development of society, for design depends on associate organized labour force and upon the existence of the tools and skills necessary to secure, manufacture, transport, and work sturdy materials.

The evolution of techniques is conditioned by 2 forces. One is economic—the explore for a most of stability and sturdiness in building with a minimum of materials and labour. the opposite is expressive—the want to provide pregnant type. Techniques evolve speedily once economic needs counsel new communicatory forms or once the conception of recent forms demands new procedures. however they continue to be static once architects avoid the chance of pioneering with untried and presumably unsuccessful ways and rely instead on well-tried procedures or once the requirement for the observance of tradition, for the communication of concepts, or for class and show is best consummated by acquainted forms.

The ultimate purpose of building techniques is to make a stable structure. In mechanical terms, structures area unit stable once all their components area unit in an exceedingly state of equilibrium, or rest. Walls and roofs will buckle, crack, or collapse if they're not properly designed. These movements area unit caused by forces that tend to push or pull bodies in an exceedingly given direction. Forces engaged on any member (part) of a building area unit, first, its own weight and, second, the masses it carries, mainly from alternative members however additionally from persons, furnishings, wind, etc. Their action encounters a reaction in opposing forces that hold the member in situ by resisting at its joints. These forces is also active all told directions, and that they should be balanced for stability. they have a tendency to crush, pull apart, and bend the member—in alternative words, to vary its size and form.

Within the member itself there square measure forces, too, that tend to resist any deformation. they're referred to as stresses, and that they vary consistent with the strength of materials and therefore the variety of the member. The forms of stress into account square measure compression, that resists crushing; tension, that resists actuation apart; and bending, that happens once one a part of a member is in compression and therefore the different is in tension.

A column is place into compression by masses|the hundreds|the masses} it carries; in a very bound roof the piece that forms the bottom of the Triangle is place into tension by the outward-pushing forces within the sides; and a header or beam (the member that spans a space) is place into bending by loads and forces that pull down on its prime and encounter a reacting force at its ends. Some materials square measure sturdy solely in compression (e.g., stone, brick, cast iron, concrete) et al. in tension further (e.g., wood, steel, strengthened concrete), that the latter square measure additional economical in resisting bending forces.

Finally, the soundness of the entire structure whose single members square measure tired equilibrium is achieved by amusive the hundreds from all of them downward so they will be resisted by the upward-supporting forces of the bottom.