



## Evaluation of Participation Using Talking Mats

Gunasekar Thangarasu  
Mahsa University, Malaysia

**Abstract:** People with dementia experience a declining limit with respect to correspondence, adversely influencing their capacity to partake in release gatherings. Correspondence issues may be self-evident. By the by patients frequently come up short on a structuralized support. The point of this examination was to explore if correspondence could be encouraged by getting ready patients for their release gatherings utilizing Talking Mats (TM), a visual correspondence supporting gadget.

**Methods:** A pilot study was directed, in which twenty patients took an interest, randomized to utilize TM earlier their release meeting (Talking Mats Group, TMG) or to follow the ward's typical system (Control Group, CG). People going to release gatherings (patients, close associates, medical caretakers, and social consideration laborers) at a geriatric ward evaluated on Visual simple scale how well they saw the patient partook in correspondence. They additionally evaluated to which degree using TM had helped them.

**Results:** Our fundamental finding was a collaboration impact in regards to how the four gatherings of people going to the meeting (patients, close colleagues, medical attendants, and social consideration laborers) evaluated the three distinct proclamations concerning and interest; knowing the patient before the gathering influenced the appraisals of the patient's informative cooperation. A greater part utilizing TM evaluated that it had been useful during the release gatherings. Correlation between bunches yielded the repudiating result that in CG correspondence was appraised as additional well-working than in TMG. Dementia is a turmoil that is portrayed by a decrease in psychological capacities. Because of the subsequent conduct changes and decreased ability to participate in regular daily existence exercises, it is a significant reason for reliance among older individuals. Past exploration has pointed out that the advancing disabled correspondence makes it trying for the questioners to comprehend what individuals with psychological impedance mean, alongside making it more difficult for the patients to comprehend the potential dangers and advantages of their different decisions. In resentment of their inevitable informative as well as psychological disabilities, patients need to settle on human services choices, and all together to have great consistence and treatment results, it is critical to connect with the patient in the dynamic procedure.