Journal of Pregnancy and Child Health

editoral Open Access

Improving Antenatal Care Access And Quality

Aisha Rahman*

School of Public Health, University of Dhaka, Bangladesh

***Corresponding Author:** Aisha Rahman, School of Public Health, University of Dhaka, Bangladesh, E-mail: aisha.rahman@yahoo.com

Received: 09-Jun-2026, Manuscript No. jp-3355; **Editor assigned:** 11-Jun-2026, PreQC No. jp-3355(PQ); **Reviewed:** 25-Jun-2026, QC No. jp-3355; **Revised:** 30-Jun-2026, Manuscript No. jp-3355(R); **Published:** 07-Jul-2026, **DOI**: 10.4172/2376-127X.1000710

Citation: Rahman A (2026) Improving Antenatal Care Access And Quality. jpch 13: 710.

Copyright: © 2026 Aisha Rahman This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution and reproduction in any medium, provided the original author and source are credited.

Abstract

This compilation of research underscores the critical importance of timely and accessible antenatal care (ANC) for improving maternal and neonatal health outcomes, particularly in low-resource settings. Studies highlight the role of quality services, addressing barriers such as socioeconomic factors and geographical distance, and leveraging innovations like mHealth. The significance of respectful, culturally sensitive care and the positive impact of increased ANC visits on reducing maternal mortality are emphasized. Efforts to improve service quality, enhance community health worker engagement, and optimize ANC models are crucial for equitable access and better health.

Keywords

Antenatal Care; Maternal Health; Neonatal Health; Healthcare Access; Healthcare Quality; South Asia; Bangladesh; Health Interventions; Community Health Workers; mHealth

Introduction

Antenatal care (ANC) stands as a cornerstone of maternal and child health, playing a pivotal role in ensuring positive health outcomes for both mothers and newborns, particularly within resource-constrained environments. The provision of accessible and high-quality ANC services is paramount, encompassing crucial health interventions, essential screening processes, and timely referral mechanisms for any identified complications.

[1] The effectiveness of these services is directly linked to consistent engagement between pregnant individuals and healthcare providers, which in turn fosters better birth preparedness and significantly reduces the incidence of adverse pregnancy-related complications.

Despite the acknowledged benefits, significant obstacles impede the access to and consistent utilization of ANC services across various regions, especially in South Asia. These challenges are multifaceted, stemming from a complex interplay of socioeconomic determinants, the geographical distances to healthcare facilities, deeply ingrained cultural beliefs that may influence healthcare-seeking behaviors, and the perceived or actual quality of the care received.

[2] To surmount these impediments, a strategic and integrated approach is necessary, advocating for the implementation of diverse interventions. These include the expansion of community-based outreach programs to bring services closer to the population, substantial improvements in the existing healthcare infrastructure to enhance service delivery capacity, and targeted training initiatives for healthcare workers to elevate the standard of care provided.

The advent of mobile health (mHealth) technologies presents a promising avenue for augmenting the effectiveness of ANC services. These digital platforms have demonstrated a notable capacity to enhance communication channels between healthcare professionals and expectant mothers. Furthermore, mHealth interventions can

effectively disseminate timely and relevant health information, and serve as a crucial tool for appointment reminders, thereby improving adherence to ANC schedules.

[3] Ultimately, the strategic deployment of mHealth solutions can lead to increased ANC utilization and foster a tangible improvement in overall maternal health outcomes.

Understanding the lived experiences and perceptions of pregnant women is vital for tailoring ANC services to their needs. Qualitative explorations, particularly within the unique context of urban slums, reveal that satisfaction with care is significantly influenced by interpersonal factors such as provider attitudes and the perceived cleanliness of facilities. The availability of essential services also plays a critical role in shaping women's experiences.

[4] A key takeaway from these investigations is the profound importance of delivering culturally sensitive and respectful care, which is instrumental in fostering greater engagement and trust between women and the healthcare system.

The direct correlation between the frequency of antenatal care visits and maternal mortality rates is a critical public health concern. Studies have consistently shown a statistically significant inverse relationship, where a higher number of ANC visits is associated with a reduced risk of maternal death. This finding underscores the imperative for public health strategies to prioritize increasing both the accessibility and the uptake of quality ANC services throughout the entire duration of pregnancy.

[5] Reinforcing the importance of consistent attendance, these findings highlight ANC as a potent tool for mortality reduction.

An in-depth assessment of the quality of ANC services delivered at primary healthcare facilities, especially in rural settings, is essential for identifying specific areas requiring enhancement. Such evaluations often pinpoint deficiencies in the consistent application of established clinical guidelines, the availability of essential medicines and supplies, and the effectiveness of communication between clients and healthcare providers.

[6] The research suggests that well-designed training programs coupled with robust supportive supervision can effectively elevate the standard and quality of ANC provision.

Community health workers (CHWs) emerge as indispensable assets in the endeavor to broaden the reach and improve the effectiveness of ANC. These frontline health workers are instrumental in delivering vital health education, identifying individuals at risk, and facilitating access to ANC services, particularly for those belonging to marginalized or underserved communities. Strengthening and expanding CHW programs is therefore a critical step towards achieving universal coverage of essential antenatal care.

[7] Their role is crucial in bridging gaps and ensuring equitable access.

The principles of respectful maternity care (RMC) are fundamental to ensuring a positive and empowering experience for pregnant women during their antenatal journey. RMC emphasizes person-centered care, ensuring that women are actively involved in decision-making processes and receive adequate emotional support throughout their pregnancy. Integrating these principles into ANC services can significantly enhance patient satisfaction and build a stronger foundation of trust in healthcare providers.

[8] This approach prioritizes dignity and autonomy.

Socioeconomic disparities represent a significant barrier to equitable access and utilization of ANC services. Evidence consistently demonstrates that women from lower socioeconomic strata face greater challenges in accessing timely and adequate antenatal care. This disparity necessitates the development and implementation of targeted interventions and supportive financial mechanisms to ensure that all women, irrespective of their economic background, can benefit from essential maternal healthcare.

[9] Addressing these inequities is a moral and public health imperative.

Finally, a systematic review of various ANC models, including focused ANC, shared ANC, and midwife-led continuity models, offers valuable comparative insights. Evaluating their respective impacts on maternal and neonatal health outcomes, healthcare utilization patterns, and overall cost-effectiveness provides crucial evidence for policymakers and program planners. Such analyses are instrumental in guiding efforts to optimize the design and delivery of ANC services for maximum impact.

[10] The comparative evaluation of different models informs strategic decisions for improved service delivery.

Description

Antenatal care (ANC) is critically important for improving maternal and neonatal health, especially in low-resource settings. It requires accessible, quality services that address key health issues, include essential screenings, and provide timely referrals. Consistent engagement with healthcare providers during pregnancy leads to better birth preparedness and fewer complications.

[1] The effectiveness of ANC is directly tied to timely and ade-

quate provision, which significantly impacts maternal and neonatal well-being.

Barriers to accessing and utilizing ANC services in regions like South Asia are substantial and varied. These include socioeconomic factors, the physical distance to healthcare facilities, cultural beliefs that can influence healthcare-seeking behaviors, and concerns about the quality of care provided. Addressing these impediments requires a multifaceted approach.

[2] Interventions must be comprehensive, encompassing community-based outreach, infrastructure development, and enhanced training for healthcare personnel.

Mobile health (mHealth) interventions offer a significant opportunity to enhance ANC adherence and maternal knowledge. These platforms can improve communication between healthcare providers and pregnant women, deliver timely health information, and facilitate appointment reminders, ultimately leading to better ANC utilization and improved maternal health outcomes.

[3] The strategic integration of mHealth can bridge gaps in traditional care delivery.

Understanding the experiences and perceptions of pregnant women is crucial for improving ANC. Qualitative studies in urban slums highlight the influence of provider attitudes, facility cleanliness, and service availability on women's satisfaction with care. Ensuring culturally sensitive and respectful care is essential for fostering engagement.

[4] Respectful and culturally aware care is paramount for women's positive healthcare experiences.

There is a clear association between the number of antenatal care visits and maternal mortality. Research indicates a significant inverse correlation, meaning that women who attend more ANC visits have a lower risk of death. This highlights the public health necessity of increasing access to and uptake of quality ANC services throughout pregnancy.

[5] The quantity of ANC visits is directly linked to reduced maternal mortality risks.

Assessing the quality of ANC services at primary healthcare facilities is vital for identifying areas for improvement. Common issues include inconsistent adherence to clinical guidelines, inadequate availability of essential medicines, and poor client-provider communication. Targeted training and supportive supervision can enhance the quality of care delivered.

[6] Enhancing the quality of ANC requires addressing systemic and procedural deficiencies.

Community health workers (CHWs) play a crucial role in improving ANC coverage and outcomes. They contribute significantly to health education, risk identification, and facilitating access to ANC, especially for marginalized populations. Strengthening CHW programs is essential for achieving universal ANC coverage.

[7] CHWs are key facilitators for expanding ANC reach and impact.

The principles of respectful maternity care (RMC) are central to the antenatal experience. RMC emphasizes women-centered care, informed decision-making, and emotional support. Implementing these principles can significantly improve women's experiences and build trust in healthcare providers.

[8] Respectful care ensures women's dignity and autonomy throughout pregnancy.

Socioeconomic status significantly impacts ANC utilization. Women from lower socioeconomic backgrounds are less likely to receive timely and adequate ANC. This necessitates targeted interventions and financial support to ensure equitable access to essential maternal healthcare services.

[9] Addressing socioeconomic disparities is crucial for achieving health equity in ANC.

A systematic review of different ANC models, such as focused ANC, shared ANC, and midwife-led continuity models, provides insights into their effectiveness. Evaluating their impact on outcomes, utilization, and cost-effectiveness is vital for optimizing ANC service delivery and informing policy decisions.

[10] Comparative analysis of ANC models guides strategic planning for service improvement.

Conclusion

Antenatal care (ANC) is essential for improving maternal and neonatal health, especially in resource-limited settings. Quality ANC services, timely screenings, and referrals are crucial. Despite its importance, several barriers hinder access and utilization, including socioeconomic factors, geographical distance, cultural beliefs, and quality of care. Mobile health (mHealth) interventions are showing promise in enhancing ANC adherence and maternal knowledge through improved communication and reminders. Qualitative studies emphasize the importance of respectful, culturally sensitive care in improving women's experiences and engagement

with healthcare. Evidence consistently shows a positive association between the number of ANC visits and reduced maternal mortality. Assessing and improving the quality of ANC at primary healthcare facilities, addressing issues like medicine availability and client-provider communication, is vital. Community health workers play a critical role in extending ANC reach, particularly to marginalized groups. Finally, various ANC models are being evaluated for their effectiveness, providing insights for optimizing service delivery and informing policy.

References

1. Rahman, A, Islam, M, Hossain, D. 2021 The Impact of Antenatal Care Services on Maternal and Neonatal Outcomes in Rural Bangladesh. J Preg Child Health. 8:15-23
2. Khan, S, Ali, M, Begum, R. 2023 Barriers to Antenatal Care Access and Utilization in South Asia: A Systematic Review. J Preg Child Health. 10:112-125
3. Sarker, A, Chowdhury, F, Alam, G. 2020 Mobile Health Interventions for Enhancing Antenatal Care Adherence and Maternal Health Knowledge in Low-Resource Settings. J Preg Child Health. 7:45-56
4. Akter, S, Nahar, L, Islam, M. 2022 Experiences and Perceptions of Antenatal Care Among Women in Urban Slums: A Qualitative Exploration. J Preg Child Health. 9:88-97
5. Hasan, K, Rahim, A, Ahmed, G. 2023 Association Between Antenatal Care Visits and Maternal Mortality in Bangladesh: A Population-Based Study. J Preg Child Health. 10:201-210
6. Chowdhury, M, Rahman, M, Parveen, S. 2022 Assessing the Quality of Antenatal Care Services at Primary Healthcare Facilities in Rural Bangladesh. J Preg Child Health. 9:150-160
7. Begum, F, Ullah, A, Khan, K. 2021 The Role of Community Health Workers in Improving Antenatal Care Coverage and Outcomes in Bangladesh. J Preg Child Health. 8:78-87
8. Islam, S, Ahmed, N, Kabir, S. 2023 Promoting Respectful Maternity Care in Antenatal Services: Perspectives from Women in Bangladesh. J Preg Child Health. 10:55-64
9. Hossain, M, Rahman, S, Ali, G. 2022 Socioeconomic Disparities in Antenatal Care Utilization: Evidence from a National Survey. J Preg Child Health. 9:170-180
10. Rahman, N, Akter, R, Islam, A. 2020 Effectiveness of Different Antenatal Care Models: A Systematic Review and Meta-Analysis. J Preg Child Health. 7:1-14