

## Preparation of Pharmaceutical Nanobeads and Nanofibers via Electrospinning Method

Khosro Adibkia\*

Biotechnology Research Center and Faculty of Pharmacy, Tabriz University of Medical Sciences, Tabriz, Iran

Novel drug delivery systems have attracted the interest of many researchers because of some advantages such as targeting the drug to the special tissues, less toxicity, patient compliance and convenience as well as improvement of the drug physicochemical properties and pharmacokinetics [1,2]. In the recent years, nanoformulations have become a major concept of modern drug delivery due to their increased surface area, [3,4] and improved dissolution rate of the less water-soluble drugs [5]. There are different technologies applied for preparation of the nanoparticles such as emulsification solvent evaporation, self-assembly, nanoprecipitation, drawing template synthesis [6], aerosol flow reactor [7] and electrospinning methods [8].

At the end of twentieth century electrostatic spinning namely electrospinning attracted interest of the researchers owing to its capability to produce ultrafine fibers [9]. This method could be benefitted in large scales due to its simplicity and cost effectiveness [10]. Electrospinning has three important components including high voltage supplier, syringe and collector [11]. A high voltage electrical field is used in this technique to form solid beads or fibers from liquid drug-polymer solution [12]. Different parameters such as distance between needle and collector, voltage, drug-polymer ratio and solution concentration could influence the characteristics of the obtained nanostructures [13]. Electrospinning has also been applied in nanocatalysis [14], tissue engineering scaffolds [15], protective clothing [16], filtration [17], biomedicine, optical electronics [18], biotechnology and environmental engineering [19]. This process has recently been used in the pharmaceutical science to improve the physicochemical characteristics of naproxen [20], ibuprofen [21,22], doxycycline [23], mebeverine, sumatriptan [25], indomethacin [3], and  $\beta$ -estradiol [26].

The electric charge on the surface of the liquid resulted by the high voltage/electric-field induces electrostatic repulsion forces which in turn create a liquid jet. The nanobeads are normally obtained when the low solution concentrations is injected to the collector; however, enhancing the solution viscosity -when sufficient enough- by increasing its concentration will typically cause the formation of the beads-on-string or uniform nanofibers [27]. It could be concluded that, the adjustable formulation parameters together with the simplicity of electrospinning technique make it a promising technique for being industrialized.

### Acknowledgement

The authors would like to thank Biotechnology Research Center, Tabriz University of Medical Sciences, Tabriz, Iran.

### Funding

The work was not financially supported by any institute.

### References

1. Adibkia K, Siah Shadbad MR, Nokhodchi A, Javadzadeh A, Barzegar-Jalali M et al. (2007) Piroxicam nanoparticles for ocular delivery: Physicochemical characterization and implementation in endotoxin-induced uveitis. *J Drug Target* 15: 407-416.
2. Adibkia K, Omidi Y, Siah Shadbad MR, Nokhodchi A, Javadzadeh A, et al. (2007) Inhibition of endotoxin-induced uveitis by methylprednisolone acetate nanosuspension in rabbits. *J Ocular Pharm Therap* 23: 421-432.
3. Adibkia K, Javadzadeh Y, Dastmalchi S, Mohammadi G, Kari Nir F, et al. (2011) Naproxen-eudragit® RS100 nanoparticles: preparation and physicochemical characterization. *Colloids and Surfaces B: Biointerfaces* 83: 155-159.
4. Snopczynski T, Goralczyk K, Czaja K, Strucinski P, Hernik A, 2009) Nanotechnology--possibilities and hazards. *Rocz Panstw Zakl Hig* 60: 101-111.
5. Kocbek P, Baumgartner S, Kristl J (2006) Preparation and evaluation of nanosuspensions for enhancing the dissolution of poorly soluble drugs. *Int J Pharm*, 312: 179-186.
6. Krishna Sailaja A, Amareshwar P, Chakravarty P (2011) Different techniques used for the preparation of nanoparticles using natural polymers and their application. *Int J Pharm Pharm Sci*, 3: 45-50.
7. Eerika inen H, Watanabe W, Kauppinen E, Petri Ahonen P (2003) Aerosol flow reactor method for synthesis of drug nanoparticles. *Eur J Pharm Biopharm* 55: 357-360.
8. Sode K, Tanaka M, Suzuki Y, Kawakami H (2013) Nickel nanoparticle chains inside carbonized polymer nanofibers: preparation by electrospinning and ion-beam irradiation. *Nanoscale* 5: 8235-8241.
9. Martins A, Reis RL, Neves NM (2008) Electrospinning: processing technique for tissue engineering scaffolding, *Int Mat Rev* 53: 257-274.
10. Bhardwaj N, Kundu S (2010) Electrospinning: A fascinating fiber fabrication technique, *Biotech. Adv* 28: 325-347.
11. Mohammadi G, Hemati V, Nikbakht MR, Mirzaee Sh, Fattahi A, et al. (2014) In vitro and In vivo evaluation of Clarithromycin-Urea solid dispersions prepared by solvent evaporation, electrospraying and freeze drying methods. *Powder Tech* 257: 168-174.
12. Doustgani A, Vasheghani-Farahani E, Soleimani M, Hashemi-Najafabadi S (2011) Preparation and Characterization of Aligned and Random Nanofibrous Nanocomposite Scaffolds of Poly (Vinyl Alcohol), Poly (ε-Caprolactone) and Nanohydroxyapatite. *Int J Nanosci Nanotech* 7: 127-132.
13. Chowdhury M, Stylios G (2010) Effect of Experimental Parameters on the Morphology of Electrospun Nylon 6 fibres. *Int J Basic App Sci* 10: 70-78.
14. Chinnappan A, Kim H (2012) Nanocatalyst: Electrospun nanofibers of PVDF – Dications tetrachloronickelate (II) anion and their effect on hydrogen generation from the hydrolysis of sodium borohydride. *Int J Hydrogen Energy* 37: 18851-18859
15. Luu YK, Kim K, Hsiao BS, Chu B, Hadjigaryrou M (2003) Development of a nanostructured DNA delivery scaffold via electrospinning of PLGA and PLA-PEG block copolymers. *J. Control Release* 89: 341-353.
16. Subbiah T, Bhat GS, Tock RW, Parameswaran S, Ramkumar SS (2005) Electrospinning of nanofibers. *J App Polymer Sci* 96: 557-569.
17. Rajesh KP, Natarajan TS (2009) Electrospun polymer nanofibrous membrane for filtration. *J Nanosci Nanotech* 9: 5402-5405.

\*Corresponding author: Khosro Adibkia, Faculty of Pharmacy, Tabriz University of Medical Sciences, Golgasht Street, Daneshgah Ave, Tabriz, Iran, Tel: +984113341315; Fax: +984113344798; E-mail: [adibkia@tbzmed.ac.ir](mailto:adibkia@tbzmed.ac.ir)

Received April 26, 2014; Accepted April 28, 2014; Published April 29, 2014

Citation: Adibkia K (2014) Preparation of Pharmaceutical Nanobeads and Nanofibers via Electrospinning Method. *J Mol Pharm Org Process Res* 2: e112. doi: [10.4172/2329-9053.1000e112](https://doi.org/10.4172/2329-9053.1000e112)

Copyright: © 2014 Adibkia K. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

18. Wang X, Drew C, Lee SH, Senecal KJ, Kumar J, et al (2002) Electrospun Nanofibrous Membranes for Highly Sensitive Optical Sensors. *Nano letters* 2: 1273-1275.
19. Thavasi V, Singh G, Ramakrishna S (2008) Electrospun nanofibers in energy and environmental applications. *Energy Environ Sci* 1: 205-221.
20. Canbolat MF, Celebioglu A, Uyar T (2013) Drug delivery system based on cyclodextrin-naproxen inclusion complex incorporated in electrospun polycaprolactone nanofibers. *Colloids and surfaces B Biointerfaces* 115: 15-21.
21. Pires LR, Guarino V, Oliveira MJ, Ribeiro CC, Barbosa MA, (2013) Ibuprofen-loaded poly(trimethylene carbonate-co-epsilon-caprolactone) electrospun fibres for nerve regeneration. *J Tissue Eng Regen Med*, In Press.
22. Shi Y, Wei Z, Zhao H, Liu T, Dong A, Zhang J (2013) Electrospinning of ibuprofen-loaded composite nanofibers for improving the performances of transdermal patches. *J Nanosci Nanotech* 13: 3855-3863.
23. Chaturvedi TP, Srivastava R, Srivastava AK, Gupta V, Verma PK (2013) Doxycycline poly e-caprolactone nanofibers in patients with chronic periodontitis - a clinical evaluation, *Journal of clinical and diagnostic research*. *JCDR* 7: 2339-2342.
24. Ilangakoon UE, Nazir T, Williams GR, Chatterton NP (2014) Mebeverine-loaded electrospun nanofibers: physicochemical characterization and dissolution studies. *J Pharm Sci* 103: 283-292.
25. Vrbata P, Berka P, Stranska D, Dolezal P, Musilova M, Cizinska L (2013) Electrospun drug loaded membranes for sublingual administration of sumatriptan and naproxen. *Int J Pharm* 457: 168-176.
26. Oh B, Lee CH (2013) Advanced cardiovascular stent coated with nanofiber. *Mol Pharm* 10: 4432-4442.
27. Yu JH, Fridrikh SV, Rutledge GC (2006) The role of elasticity in the formation of electrospun fibers. *Polymer* 47: 4789-4797.