Journal of Analytical & Bioanalytical Techniques

Opinion Open Access

Trace Metal Speciation: Methods, Challenges, and Impacts

Zarah Khan*

Dept. of Applied Chemistry, Lahore Sci University, Pakistan

***Corresponding Author:** Zarah Khan, Dept. of Applied Chemistry, Lahore Sci University, Pakistan, E-mail: z.khan@lsu.pk

Received: 01-Oct-2025, Manuscript No. jabt-25-177830; **Editor assigned:** 03-Oct-2025, PreQC No. jabt-25-177830(PQ); **Reviewed:** 17-Oct-2025, QC No. jabt-25-177830; **Revised:** 22-Oct-2025, Manuscript No. jabt-25-177830(R); **Published:** 29-Oct-2025, **DOI**: 10.4172/2155-9872.1000810

Citation: Khan Z (2025) Trace Metal Speciation: Methods, Challenges, and Impacts. jabt 16: 810.

Copyright: © 2025 Zarah Khan This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution and reproduction in any medium, provided the original author and source are credited.

Abstract

This review synthesizes recent advancements in trace metal analysis and speciation across environmental and biological samples. It details key analytical techniques, including ICP-MS, SP-ICP-MS, HR-ICP-MS, and XRF, highlighting their application in diverse matrices from marine sediments to human milk. Emphasis is placed on overcoming challenges in sample preparation and matrix effects to accurately assess bioavailability and toxicity. The compilation underscores the critical role of these methodologies in environmental monitoring, health risk assessment, and food safety, advocating for continued refinement to enhance sensitivity and specificity.

Keywords

Trace Metal Speciation; Environmental Samples; Biological Samples; ICP-MS; Analytical Techniques; Sample Preparation; Ultra-Trace Analysis; Hyphenated Techniques; Metal Toxicity; Nanoparticles

Introduction

The field of analytical chemistry dedicated to trace metal analysis is critically important for understanding environmental health and biological functions, continually evolving with the development of sophisticated methodologies. Advanced analytical strategies for trace metal speciation are essential across diverse environmental and biological samples, moving beyond total concentration measurements to understand bioavailability and toxicity. Robust techniques, including various hyphenated methods, are crucial for improving detection limits and species identification, offering valuable insights for environmental monitoring and health risk assessments [1].

Recent advancements in ultra-trace determination of metal(loid)s in environmental samples have been significantly propelled by techniques such as single particle inductively coupled plasma mass spectrometry (SP-ICP-MS) and high-resolution ICP-MS (HR-ICP-MS). These methods offer considerable strengths in analyzing both nanoparticles and dissolved species, although they present specific limitations. A comprehensive understanding of sample preparation challenges and calibration strategies is therefore essential for achieving accurate environmental monitoring outcomes [2].

Progress in analytical techniques for trace element analysis within various biological matrices continues to be a focal point of research, driven by needs in clinical diagnostics, toxicology, and nutritional studies. Both spectroscopic and chromatographic methods have seen improvements in sensitivity, specificity, and throughput. A critical evaluation of sample preparation protocols is vital, as these significantly impact the accuracy and reliability of the analytical results obtained in complex biological systems [3].

A critical review of trace elements in human milk highlights their profound nutritional and toxicological significance for infants.

This area demands accurate and reliable analytical determination, for which techniques like ICP-MS and AAS are frequently employed and evaluated. The paper identifies existing challenges in sample collection, storage, and subsequent analysis, proposing strategic directions for future research to enhance the understanding and safety of infant nutrition [4].

Environmental studies frequently involve the characterization of trace metals in marine sediments, such as those from the Gulf of Mannar, utilizing advanced instrumentation like ICP-MS. Such research aims to assess the spatial distribution, accumulation patterns, and potential ecological risks posed by various heavy metals. The findings derived from these studies provide critical data essential for understanding environmental quality and evaluating anthropogenic impacts on sensitive coastal ecosystems, thereby guiding effective management and conservation strategies [5].

Novel strategies and persistent challenges in ultra-trace elemental analysis, particularly in environmental and biological samples, are extensively explored through the lens of inductively coupled plasma mass spectrometry (ICP-MS). This technique benefits from continuous advancements in instrumentation, sample introduction systems, and interference removal methodologies. Nevertheless, complexities arising from matrix effects and the intricate nature of speciation analysis remain significant hurdles that must be addressed to ensure accurate, high-sensitivity measurements [6].

The application of Chelex-100 resin for trace metal speciation in freshwater systems represents a targeted approach to address environmental contamination. Research in this area focuses on optimizing conditions for the selective binding and subsequent elution of different metal species. This method offers a cost-effective and efficient means to distinguish bioavailable fractions from total concentrations, thereby significantly enhancing the assessment of aquatic ecosystem health and potential metal toxicity [7].

Sampling, preparation, and analytical methods for trace metal analysis in airborne particulate matter are subjects of rigorous review due to their importance in public health and environmental science. Various techniques for collecting and processing atmospheric samples are critically evaluated, followed by detailed discussions on instrumental analysis methods, including ICP-MS and AAS. The inherent complexities in characterizing metal sources and accurately assessing their environmental and health impacts are central to this field [8].

The determination of trace metals in edible oils using inductively coupled plasma optical emission spectrometry (ICP-OES) is crucial for ensuring food safety and quality. This involves developing and optimizing sample preparation methods specifically designed to minimize matrix effects and ensure precise quantification. Adherence to critical aspects of analytical quality control is paramount in this research, providing practical guidance for monitoring metallic contaminants in various oil products [9].

Current trends in trace element analysis in biological samples highlight the growing adoption of X-ray fluorescence spectrometry (XRF). XRF is lauded for its advantages in non-destructive, rapid multi-elemental analysis, with wide-ranging applications in clinical, forensic, and environmental biology. Despite its benefits, challenges persist related to detection limits and matrix effects, prompting ongoing research to propose future directions for enhanced analytical performance [10].

Description

Trace metal speciation is a sophisticated area of analytical science that delves into the specific chemical forms of metals, which is crucial for understanding their environmental impact and biological activity. Comprehensive analytical strategies are being continuously refined to analyze trace metal speciation across a variety of environmental and biological matrices. These strategies are particularly vital for moving beyond simple total concentration measurements to accurately assess the bioavailability and toxicity of trace metals. The integration of robust hyphenated techniques significantly improves detection limits and facilitates precise species identification, thereby providing foundational insights for effective environmental monitoring and health risk assessments [1].

The ultra-trace determination of metal(loid)s in environmental samples has seen transformative advancements with the advent of single particle inductively coupled plasma mass spectrometry (SP-ICP-MS) and high-resolution ICP-MS (HR-ICP-MS). These cutting-edge techniques offer unparalleled capabilities for the analysis of both nanoscale particles and dissolved species, presenting both significant advantages and inherent limitations. A thorough review of these methods underscores the critical importance of meticulous sample preparation and robust calibration strategies, which are indispensable for achieving accurate and reliable data in environmental monitoring contexts [2].

Analytical techniques for the examination of trace elements within diverse biological matrices continue to evolve, driven by the increasing demands of clinical diagnostics, toxicology, and nutritional research. Both spectroscopic and chromatographic methodologies have undergone considerable enhancements, leading to improved sensitivity, specificity, and overall sample throughput.

A rigorous evaluation of various sample preparation protocols is paramount, as these procedures directly influence the accuracy and integrity of the analytical results obtained from complex biological samples [3].

Investigating trace elements present in human milk is a critical endeavor, given their profound implications for infant nutrition and potential toxicity. This area necessitates the application of highly accurate and reliable analytical methods, with techniques such as ICP-MS and AAS being frequently employed and rigorously assessed for their performance. The ongoing challenges in standardizing sample collection, ensuring appropriate storage conditions, and optimizing analytical procedures are consistently highlighted, necessitating concerted research efforts to overcome these obstacles [4].

The characterization of trace metals in marine sediments, exemplified by studies in areas such as the Gulf of Mannar, often employs advanced analytical platforms like ICP-MS. Such investigations are fundamental for mapping the spatial distribution of these elements, understanding their accumulation patterns, and evaluating the potential ecological risks associated with various heavy metals. The data generated from these studies are invaluable for assessing the overall environmental quality of coastal ecosystems and informing strategies for mitigating anthropogenic impacts, thereby supporting effective conservation efforts [5].

Ultra-trace elemental analysis in complex environmental and biological samples, particularly through inductively coupled plasma mass spectrometry (ICP-MS), is a dynamic field characterized by both novel methodological strategies and persistent analytical challenges. Significant advancements have been made in instrumentation, innovative sample introduction techniques, and sophisticated interference removal protocols. However, the inherent complexities of matrix effects and the intricate nature of speciation analysis continue to pose considerable hurdles that require continuous research and development for achieving truly accurate and high-sensitivity measurements [6].

The application of Chelex-100 resin provides a focused approach for trace metal speciation in freshwater systems, offering a practical solution to environmental analytical challenges. Research is dedicated to optimizing the experimental conditions for the selective binding and subsequent elution of distinct metal species. This method presents a cost-effective and highly efficient means to differentiate between bioavailable metal fractions and total concentrations, which is crucial for a more nuanced assessment of aquatic ecosystem health and potential metal toxicity [7].

The comprehensive analysis of trace metals in airborne particulate matter is a complex yet vital undertaking, encompassing various stages from sampling to instrumental analysis. A critical review of available methods highlights the diverse techniques employed for collecting and processing atmospheric samples, alongside detailed discussions of instrumental analysis using methods such as ICP-MS and AAS. The inherent difficulties in accurately characterizing the multiple sources of these metals and precisely assessing their environmental and human health impacts are major considerations in this research area [8].

The determination of trace metals in edible oils using inductively coupled plasma optical emission spectrometry (ICP-OES) is an indispensable process for safeguarding food safety and maintaining product quality. This analytical endeavor mandates the development and application of highly optimized sample preparation methods designed to effectively minimize matrix effects and ensure accurate quantification. Furthermore, meticulous attention to analytical quality control practices is paramount, providing essential guidance for monitoring and controlling metallic contaminants in various oil-based food products [9].

X-ray fluorescence spectrometry (XRF) is gaining significant traction in trace element analysis within biological samples due to its distinct advantages. This technique allows for non-destructive, rapid, and multi-elemental analysis, making it highly applicable across clinical, forensic, and environmental biology. Despite these benefits, researchers continue to address challenges related to achieving lower detection limits and mitigating matrix effects, proposing innovative future directions to further enhance its analytical performance and utility [10].

Conclusion

This compilation of research underscores the critical importance of advanced analytical techniques for the precise determination and speciation of trace metals in diverse environmental and biological matrices. The papers collectively highlight the shift from total concentration measurements to understanding bioavailability and toxicity, emphasizing the role of robust methodologies. Techniques such as ICP-MS, SP-ICP-MS, HR-ICP-MS, ICP-OES, AAS, and XRF are frequently discussed for their capabilities in ultra-trace analysis, species identification, and environmental monitoring. Significant challenges in sample preparation, matrix effects, and calibration strategies are recurring themes, necessitating continuous innovation. The applications span from assessing environmental quality in marine sediments and freshwater systems to evaluating metal

content in human milk, airborne particulate matter, and edible oils, illustrating the broad impact of accurate trace element analysis on public health, environmental conservation, and food safety. The reviews critically evaluate current practices and propose future research directions to enhance sensitivity, specificity, and throughput.

References

1. Zirong L, Xiangyu C, Jianbo S. 2023 Advanced Analytical Approaches for Trace Metal Speciation in Environmental and Biological Samples. TrAC Trends Anal. Chem.. 167:117215

2. Jiajia Y, Weiya W, Junqiang L. 2022 Ultra-trace determination of metal(loid)s in environmental samples by single particle ICP-MS and HR-ICP-MS: A review. Microchem. J.. 180:107641

3. Radosław GW, Piotr S, Michał S. 2021 Recent advances in analytical techniques for trace element analysis in biological matrices. J. Trace Elem. Med. Biol.. 65:126749

4. Monika J, Joanna K, Maria S. 2020 Trace elements in human milk and their analytical determination: A critical review. J. Trace Elem. Med. Biol.. 62:126601

5. Lakshumanan J, Arumugam T, Govindharajan S. 2023 Characterization of trace metals in marine sediments from the Gulf of Mannar, Southeast coast of India using ICP-MS. Mar. Pollut. Bull.. 191:115024

6. Qing Y, Xiao-Qin Z, Guang-Ming L. 2022 Novel strategies and challenges for ultra-trace elemental analysis in environmental and biological samples by inductively coupled plasma mass spectrometry. Anal. Chem.. 94:6363-6379

7. Marija K, Tatjana MT, Maja MN. 2021 Application of Chelex-100 resin for trace metal speciation in fresh waters. Chemosphere. 279:130983

8. Jing Z, Wenying L, Xiaoping W. 2020 Trace metal analysis in airborne particulate matter: A review of sampling, preparation, and analytical methods. Atmos. Environ.. 238:117707

9. Maria SdM, Rafael SdS, Camila NdS. 2022 Determination of trace metals in edible oils by ICP-OES: Sample preparation and analytical quality control. Food Chem.. 374:131754

10. Patrícia BA, Ricardo EdS, Carlos HM. 2023 Current trends in trace element analysis in biological samples using X-ray fluorescence spectrometry. Spectrochim. Acta B At. Spectrosc.. 204:106679