

Climatological Analysis, Weather Forecast and Sport Performance: Which are the Connections?

Alessandro Pezzoli^{1,2*}, Elena Cristofori^{2,3}, Matteo Moncalero^{2,4}, Fiorella Giacometto^{2,5} and Andrea Boscolo²

¹Politecnico di Torino, Department of Environment, Land and Infrastructure Engineering, Corso Duca degli Abruzzi n. 24, 10129, Torino, Italy

²MeteoSport - Sport Psychology Research Unit - Motor Science Research Centre – School of Motor and Sport Sciences, University of Turin, P.zza Bernini 12, Torino, Italy

³DIST, Politecnico di Torino, Viale Mattioli 39, Castello del Valentino, Torino, Italy

⁴DICAM, Alma Mater Studiorum, Università di Bologna, Via Terraccini 28, Bologna, Italy

⁵Ospedale Cottolengo - Piccola Casa della Divina Provvidenza, Via S. Giuseppe Cottolengo 14, 10152 - Torino, Italy

The effect of weather and environmental conditions on sports has been extensively studied over the last few years [1-4]. Based upon the studies of Lobozevicz [5] and of Kay and Vamplew [6], Pezzoli and Cristofori [7] have studied the impact of some specific environmental parameters over different sports using a particular impact index divided into five classes.

This analysis clearly shows that most of the outdoor sport activities, and in particular endurance sports, are strongly influenced by the variation of meteorological parameters. In effect the evaluation of bi-climatological conditions and of thermal comfort in endurance sports, particularly in road cycling, has a fundamental importance not only for a proper planning of the training program and the nutritional plan, but also for a better evaluation of the race strategy [8]. Despite these observations, the influence of meteorological and environmental conditions is often disregarded in the outdoor sport performance assessment.

Among the meteorological variables that strongly influence the sporting activity the most important are temperature, wind, precipitation, fog, atmospheric pressure and relative humidity. The usefulness of weather forecasts in performance sports management has been demonstrated by Pezzoli and Cristofori [7] and Pezzoli et al. [9]. The results obtained by the Authors show us how the role of the meteorological parameters becomes crucial for sporting activities carried out in an outdoor environment.

The aim of this Editorial is to assess how many atmospheric variables may influence both the athletic performance and the comfort level for different sport disciplines. The availability of these specific information leads to have a more detailed knowledge of the area of interest and opens up the possibility of making considerations on past trends, as well as on the predictability of future situations and phenomena.

Based on Lobozevicz [5], Kay and Vamplew [6] and Pezzoli and Cristofori [7] studies, we conducted a qualitative-quantitative assessment of the influence of environmental variables on sport performance using the Haddon matrix [10].

William Haddon Jr developed his conceptual model, the Haddon matrix, in 1980. Since that time, the matrix has been used as a tool to assist in developing ideas for preventing injuries of many types.

The application of the Haddon matrix in the field of the sports activities allows determining the factors that mostly affect the performance, such as:

- Personal factors (psychophysical preparation)
- Vector or Agent Factors (materials and opponent)
- Physical environmental factors (meteorological and environmental analysis). Hereafter the “Physical Environmental factors” will be called “environmental parameters” and they will

be referred to meteorological parameters (i.e.: air temperature, air humidity, wind, rain, etc...) that affect the sport performance

- Socio-environmental factors (of internal and external social environment).

This study illustrated the different methodologies used for the analysis of the environmental parameters during the different temporal phases of a specific sport event. During the pre-event phase a climatological and statistical analysis proves to be the most suitable. On the other hand, during the event a deterministic forecast methodology, associated with very short-term numerical weather prediction models, is suggested. Finally in the post-event phase meteorological measurements can be used, if available, for refining the performance analysis.

If the environmental parameters are not taken into account, one column would be missing within the Haddon matrix and hence an error would be produced using the performance assessment model.

The importance of Environmental Analysis for sport performance is often underestimated by coaches and managers. This is mostly due to the lack of knowledge about the added value brought by innovative techniques for measuring environmental variables and for predicting meteorological parameters.

The different time-scales for a proper environmental analysis and the weather forecasting during a general sport event can be divided as follows:

- Long term (up to 30 days before the event)
- Medium term (from 30 days before the event to 8 days before the event)
- Short term (from 8 days to 6 hours before the event)
- Very short term (from 6 hours before the event until the ‘action’).

This subdivision and the related weather forecast have to be used with regard to the possibilities offered by each Sports’ Rule for what concerns the use of meteorological information.

***Corresponding author:** Alessandro Pezzoli, Politecnico di Torino, Department of Environment, Land and Infrastructure Engineering, Corso Duca degli Abruzzi n. 24, 10129, Torino (Italy), Tel: 00393472221638; E-mail: alessandro.pezzoli@polito.it

Received July 23, 2013; **Accepted** July 24, 2013; **Published** July 27, 2013

Citation: Pezzoli A, Cristofori E, Moncalero M, Giacometto F, Boscolo A (2013) Climatological Analysis, Weather Forecast and Sport Performance: Which are the Connections? J Climatol Weather Forecasting 1: e105. doi:[10.4172/2332-2594.1000e105](https://doi.org/10.4172/2332-2594.1000e105)

Copyright: © 2013 Pezzoli A, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

With this kind of meteorological analysis, and according to the Haddon matrix, a proper assessment of the environmental parameter is assured.

A series of in-depth focus groups conducted with different stakeholders (athletes, coaches, managers, performance analysts) coming from the main National Sports Federations of the Italian Olympic Committee (C.O.N.I.) have allowed us to determine the importance of meteorological variables and the impact of different time-scales weather forecasts on the general performance for several sports [11,12].

In particular the following disciplines have been analyzed:

- Cycling: road
- Rowing
- Canoe and Kayak
- Athletics: Marathon & Race Walks
- Modern Pentathlon
- Equestrian Sports
- Tennis
- Archery
- Shooting Sports
- Triathlon
- Sailing.

The analysis of the data extracted from the focus groups, showed that all sports studied are strongly influenced by the following meteorological variables:

- Temperature
- Humidity
- Wind.

Some sports, and among them we can mention tennis, cycling and, in general, all shooting disciplines, are also influenced by rain and fog.

It was also observed the high impact that long-term weather forecasting can have on all sports considered. This analysis leads us to believe that all major sporting events (Olympics, World Championships) are to be considered as "situ-specific". It follows that athletes, coaches and technicians can use a careful climatological analysis to finalize the sports training well in advance from the date of the event.

Finally, it was evaluated as the weather forecast at different time's term can be used to improve sports performance. This further analysis confirms that the sports training of an athlete should be considered as a complex system where only the correct interaction between information from different sources can lead to the achievement of excellence's performance.

The performed analysis clearly shows that both meteorological and environmental parameters can have a significant impact on the sports performance for outdoor events. Therefore the assessment methodology presented can be considered as innovative for applied sport research.

It follows that the Performance Analyst should develop relevant competences needed for conducting an integrated data analysis, taking into account the environmental parameters as well.

Moreover the Performance Analyst have to take care of the results' communication of this integrated performance data analysis to the coaches through understandable and meaningful messages.

From the focus groups it was concluded that, in the sports performance analysis, need to be addressed, as well as the well-known areas of Performance Analysis, which are:

- "Motion Analysis"
 - "Match and Timing Analysis"
 - "Notational Analysis"
- also two new areas, namely:
- "Rule Analysis"
 - "Environmental Analysis"

These considerations are in agreement with innovative researches carried out on the Team Sport [13,14], on the cycling [9], on the water sport [15] as well as in the winter sports [3,16].

Therefore National Sports Federation should pay particular attention to train these specific competencies in order to create sports operators that can fill the role of Performance Analysts with the necessary awareness. In addition the technicians will need a specific and continuous education in Climatology and Weather Forecasting allowing the achievement of the fundamental knowledge in the field of environmental analysis.

Acknowledgements and Disclaimers

Alessandro Pezzoli, BEng, MEng, MSc, PhD is an ARMS Editorial Board member and Adjoint Professor (Senior Lecturer) in Meteo-Hydrology and Weather Risk Management in the Politecnico di Torino and in the University of Torino as well as Scientific Adviser of R.U. Meteo Sport - Department of Sport Psychology - Sport Science Research Centre - University of Turin.

References

1. Thornes JE (1977) The effect of weather on sport. *Weather* 32: 258-268.
2. Spellman G (1996) Marathon running an all-weather sport? *Weather* 51:118-125.
3. Pezzoli A, Moncalero M, Boscolo A, Cristofori E, Giacometto F, et al. (2010) The meteo-hydrological analysis and the sport performance: which are the connections? The case of the XXI Winter Olympic Games, Vancouver 2010. *Journal of Sports Medicine and Physical Fitness* 50:19-20.
4. Fleming P, Colin Y, Dixon S, Carre M (2010) Athlete and coach perception of technology needs for evaluation running performance. *Sports Eng* 13: 1-18.
5. Lobożewicz T (1981) *Meteorology in sport*. Ed Sportverlag Frankfurt.
6. Kay J, Vamplew W (2002) *Weather beaten: sport in the British climate*. Ed Mainstream Publishing, London.
7. Pezzoli A, Cristofori E (2008) Analisi, previsioni e misure meteorologiche applicate agli sport equestri. In: 10th Congress, New findings in equine practices, Druento - Centro Internazionale del Cavallo.
8. Olds TS, Norton KI, Lowe EL, Olive S, Reay F, et al. (1995) Modelling road-cycling performance. *Journal of Applied Physiology* 78:1596-1611.
9. Pezzoli A, Cristofori E, Gozzini B, Marchisio M, Padoan J (2012) Analysis of the thermal comfort in cycling athletes. *Procedia Engineering* 34: 433-438.
10. Haddon W (1980) Options for the prevention of motor vehicle crash injury. *Israeli Medical Journal* 16: 45-65.
11. Pezzoli A, Vercelli G, Boscolo A, Vedova DD, Besi M (2012) La connessione mente-corpo-ambiente e materiali: una strada nella ricerca della performance? In: XIX Congresso Nazionale AIPS - Il Comportamento Motorio e Sportivo tra Ricerca e Lavoro sul Campo, Ed. Università degli Studi di Verona - Facoltà di

Scienze Motorie, Verona 54.

12. Arpino M, Pezzoli A (2012) La connessione mente-corpo-ambiente e materiali nello sport: una strada nella ricerca della performance? SdS 95: 3-14.
13. Opatkiewicz A, Williams T, Walters C (2012) The effects of temperature, travel and time off on Major League soccer team performance. In: World Congress of Performance Analysis of Sport IX, Worcester.
14. Brocherie F, Girard O, Millet GP (2012) The influence of environmental temperature on home advantage in Qatari International soccer matches. In: World Congress of Performance Analysis of Sport IX, Worcester.
15. Pezzoli A, Baldacci A, Cama A, Faina M, Dalla Vedova D, et al. (2013) (in press) Wind-wave interactions in enclosed basins: the impact on the sport of rowing. In: Physics of Sport Ed Ecole Polytechnique de Paris, Paris.
16. Pepino A (2012) Abbigliamento e comfort termico nella performance sportiva. MScThesis in Sport Science Ed SUISM - Università di Torino, Torino.

Citation: Pezzoli A, Cristofori E, Moncalero M, Giacometto F, Boscolo A (2013) Climatological Analysis, Weather Forecast and Sport Performance: Which are the Connections? J Climatol Weather Forecasting 1: e105. doi:[10.4172/2332-2594.1000e105](https://doi.org/10.4172/2332-2594.1000e105)

Submit your next manuscript and get advantages of OMICS Group submissions

Unique features:

- User friendly/feasible website-translation of your paper to 50 world's leading languages
- Audio Version of published paper
- Digital articles to share and explore

Special features:

- 300 Open Access Journals
- 25,000 editorial team
- 21 days rapid review process
- Quality and quick editorial, review and publication processing
- Indexing at PubMed (partial), Scopus, EBSCO, Index Copernicus and Google Scholar etc
- Sharing Option: Social Networking Enabled
- Authors, Reviewers and Editors rewarded with online Scientific Credits
- Better discount for your subsequent articles

Submit your manuscript at: <http://www.omicsonline.org/submission/>

