

Physical Exercise Influences Academic Performance and Well-being in Children and Adolescents

Trevor Archer^{1,2*} and Danilo Garcia^{1,2}

¹Department of Psychology, University of Gothenburg, Box 500, SE 40350 Gothenburg Network for Empowerment and Well-Being, Sweden

²Centre for Ethics Law and Mental Health, University of Gothenburg, Gothenburg, Sweden

Physical exercise and other activity-promoting behaviors, including sports, hold incalculable benefits for children and adolescents besides physical and psychological health and quality of life [1]. A multitude of factors contribute to increased brain and functional integrity [2,3] and optimal development [4,5] through exercise. Concurrently, a vast range of situations and techniques have demonstrated the marked cognitive [6], emotional [7,8] and neuroimmunological [9,10] functioning manifestations. Unsurprisingly, the influence of physical exercise upon school and academic performance is an issue of some magnitude [11-13]. In a systematic review of randomized control trials of school children, Lees and Hopkins [14] observed that there was a positive association between aerobic physical activity and cognition, academic achievement, behavior, and psychosocial functioning outcomes. Nevertheless, they indicated the necessity for more rigorous trials with adequate sample sizes assessing the impact of aerobic physical activity on children's cognitive abilities, psychosocial functioning, behavior, and academic achievement; standardized interventions, valid and reliable tools of measurement, and long-term follow-up for sustained cognitive and psychosocial outcomes were advanced as primary targets. Furthermore, Singh et al. [15] showed that physical exercise was linked positively to children's academic performance on the basis of two high-quality studies. In their turn, they called for the examination of dose-response relationships between extent of physical activity and academic performance. These avenues of consideration seem essential since poorer motor performance has been found to be related to inferior academic skills in school children, particularly among boys [16]. Their results beg the conclusion that early identification of children with poor motor/athletic prowess is of necessity and that actions aimed at improving these children's motor performance and academic skills during the first school years are important investments. Latham et al. [17] showed that provision of middle school students with a choice of performing the "FitnessGram" mile run in either traditional one-mile run or the treadmill one-mile format exerted positive influences on several measures of performance.

Affective status and personal attributes contribute both to academic and motor performance [18] as well as attitudes to physical exercise [19,20]. One prerequisite for compliance to exercise/activity schedules for children and adolescents (adults as well for that matter) requires that children's motivation ought to be founded upon enjoyment and the inherent satisfaction provided by physical activity is associated with their objectively-assessed physical activity; this type of motivation (activity) needs to be associated positively with perceptions of psychological need satisfaction. The psychological factors implicated here represent potential flexible targets for interventions that elevate children's physical activity. Using structural equation modeling, Sebire et al. [21] showed the utility of a motivational model in which psychological need satisfaction was positively associated with intrinsic and identified motivation types and intrinsic motivation was associated positively with children's time spent in moderate-to-vigorous physical activity. Cognitive developmental trajectories contribute considerably to favorable strategies for optimizing such positive attributes as self-determination, internal locus of control, character

and self-esteem [22,23] together with brain and central nervous system concomitants [24,25]. The successful implementation of these developmental programs places significant demands upon the caliber and professionalism of instructors and mentors. Myer et al. [26] have shown that regular, compliant training/coaching with structured and integrated modalities throughout the developmental years as a part of physical and psychosocial education improves both health and several performance variables. Physical exercise bestows a propensity for eventual manifestation of "redifferentiated" developmental trajectories that may equip even those developing individuals with a paucity of positive attributes, e.g. ADHD children, with a prognosis that is more adaptive functionally, independent of the applications of other therapeutic agents and treatments [27].

Children expressing higher life satisfaction were more connected with teachers, better engaged in schoolwork, and earned higher grades than those children who were less satisfied. In view of these transitional pressures that may affect health variables adversely, the associations between personal attributes, such as self-determination, anxiety and depression, stress, exercise propensity and academic performance amongst adolescents emerges with particular impact upon developmental trajectories. Using structural equation modeling with data from 750 secondary school pupils (mean age = 13.4 years), Hashim et al. [28] observed that greater levels of self-determination (intrinsic motivation) were linked positively with exercise habit behavior, with intensity of the exercise habit fostering academic performance and buffering individuals against the debilitating influences of stress, anxiety and depression in the absence of gender effects. The COPE (Creating Opportunities for Personal Empowerment), a cognitive-behavioral skills-building intervention, combined with TEEN (Thinking, Emotions, Exercise, Nutrition) program has been constructed to address public health problems affecting academic achievement in adolescents [29]. Melnyk et al. [30] studied 779 culturally-diverse adolescents in the US Southwest with COPE-TEEN+20 minutes physical exercise over 15 weeks. As a result of the intervention, they obtained significantly lower depression scores, lower mean BMI and higher health course grades both during the short-term and long-term testing.

In a recent unpublished study, we have discerned positive relations between academic performance, physical activity, well-being, and self-

***Corresponding author:** Trevor Archer, Department of Psychology, University of Gothenburg, Box 500, SE 40350 Gothenburg, Network for Empowerment and Well-Being, Sweden, Tel: +46 738 239423; E-mail: trevor.archer@psy.gu.se

Received December 27, 2013; **Accepted** December 29, 2013; **Published** January 07, 2014

Citation: Archer T, Garcia D (2014) Physical Exercise Influences Academic Performance and Well-being in Children and Adolescents. *Int J Sch Cogn Psychol* 1: e102. doi: [10.4172/2469-9837.1000e102](https://doi.org/10.4172/2469-9837.1000e102)

Copyright: © 2014 Archer T, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

		Physical Activity			Well-Being		Self-regulation	
		Grade Point Average	Exercise Frequency	Exercise Intensity	Subjective Well-Being	Psychological Well-Being	Locomotion	Assessment
Physical Activity	Grade Point Average	-						
	Exercise Frequency	.10	-					
	Exercise Intensity	.26**	.50***	-				
Well-Being	Subjective Well-Being	.31***	.18*	.22**	-			
	Psychological Well-Being	.22**	.11	.13	.77***	-		
Self-regulation	Locomotion	.17*	.08	.23**	.48***	.59***	-	
	Assessment	.25**	.01	.15	-.23**	-.15	.09	-

Note: * $p < .05$, ** $p < .01$, *** $p < .001$.

Table 1: Correlations between grade point average, physical activity, well-being, and self-regulation among Swedish high school pupils (N=154).

regulation among Swedish high school pupils. We operationalized academic performance through high school pupils' final grades in Swedish, Mathematics, English, and Physical education. The courses take place during either one or two semesters or the grading scale ranges from A = pass with distinction to F = fail. Well-being was assessed as subjective well-being (Diener [31]; life satisfaction, positive and negative affect) and psychological well-being (Ryff [32]; personal growth, self-acceptance, environmental mastery, autonomy, positive relations with others, and meaning in life). Self-regulation is the procedure implemented by an individual striving to reach a goal [33]: identification and evaluation of different strategies to reach a goal (i.e. assessment) and then to take action and persist towards the goal (i.e. locomotion). Academic performance, grade point average, is indeed positively associated to how intensely pupils exercise, well-being and to self-regulation; specially to assessment. Physical activity was also associated subjective well-being and to locomotion (Table 1).

In conclusion, the intervention of physical exercise holds real merit for engendering improved academic prowess. These observations are hardly surprising in view of the marked increases in neurotrophic factors, particularly brain-derived neurotrophic factor (BDNF), that have been obtained in association with cognitive and emotional benefits (Hopkins [34-36]. Indeed, exercise effects, mediated through BDNF, offer children and adolescents real epigenetic, permanent advantages [37]. Pareja-Galeano et al. [38] have showed that exercise training in adolescent boys (14 ± 2 years) elevated neuroplasticity-related proteins, BDNF and insulin-like growth factor-1 in comparison with sedentary boys. Moreover, physical activity might not only lead to better grades but also to enhanced well-being, specially subjective well-being or happiness, and to the ability to keep moving towards a goal and motivating the individual to take action and control of her/his life, that is, empowering the individual to become agentic.

Acknowledgements

This editorial was supported by Stiftelsen Kempe-Carlgrenska Fonden. We would like to express our gratitude to Alexander Jimmefors for his help with the collection of the data

References

1. Penedo FJ, Dahn JR (2005) Exercise and well-being: a review of mental and physical health benefits associated with physical activity. *Curr Opin Psychiatry* 18: 189-193.
2. Archer (2011) Physical exercise alleviates debilities of normal aging and Alzheimer's disease. *Acta Neurol Scand* 123: 221-238.
3. Hillman CH, Erickson KI, Kramer A (2008) Be smart, exercise your heart: exercise effects on brain and cognition. *Nat Rev Neurosci* 9: 58-65.
4. Schinder AF, Poo M (2000) The neurotrophin hypothesis for synaptic plasticity. *Trends Neurosci* 23: 639-645.
5. Van Praag H, Kempermann G, Gage FH (1999) Running increases cell

proliferation and neurogenesis in the adult mouse dentate gyrus. *Nat Neurogenesis* 2: 266-270.

6. Winter B, Breitenstein C, Mooren FC, Voelker K and Fobker M, et al. (2007) High impact running improves learning. *Neurobiol Learn Mem* 87, 597-609.
7. Santos-Soto IJ, Chorna N, Carballeira NM, Vélez-Bartolomei JG and Méndez-Merced AT, et al. (2013) Voluntary running in young adult mice reduces anxiety-like behavior and increases the accumulation of bioactive lipids in the cerebral cortex. *PLoS One*. 8: e81459.
8. Yeung RR (1996) The acute effects of exercise on mood state. *J Psychosom Res* 40: 123-141.
9. Fleshner M (2000) Exercise and neuroendocrine regulation of antibody production: protective effect of physical activity on stress-induced suppression of the specific antibody response. *Int J Sports Med* 21: S14-S19.
10. Archer T, Fredriksson A, Schütz E, Kostrzewa RM (2011) Influence of physical exercise on neuroimmunological functioning and health: aging and stress. *Neurotox Res* 20: 69-83.
11. Biddle SJ, Petrolini I, Pearson N (2013) Interventions designed to reduce sedentary behaviours in young people: a review of reviews. *Br J Sports Med*
12. Taras M (2005) Physical activity and student performance at school. *J Sch Health* 75: 214-218.
13. Trudeau F, Shephard RJ (2008) Physical education, school physical activity, school sports and academic performance. *Int J Behav Nutr Phys Act* 5:
14. Lees C, Hopkins J (2013) Effect of aerobic exercise on cognition, academic achievement, and psychosocial function in children: a systematic review of randomized control trials. *Prev Chronic Dis*. 10:E174.
15. Singh A, Uijtewilligen L, Twisk JWR, van Mechelen W, Chinapaw MJM (2012) Physical activity and performance at school: a systematic review of the literature including a methodological quality assessment. *Arch Pediatr Adolesc Med* 166: 49-55.
16. Haapala EA, Poikkeus AM, Tompuri T, Kukkonen-Harjula K and Leppänen PH, et al. (2013) Associations of Motor and Cardiovascular Performance with Academic Skills in Children. *Med Sci Sports Exerc*.
17. Latham DT, Hill GM, Petray CK (2013) A comparison of Hispanic middle school students' performance and perceived and actual physical exertion, on the traditional and treadmill one-mile runs. *Percept Mot Skills*. 116:505-611.
18. Saraiva L, Rodrigues LP, Cordovil R, Barreiros J (2013) Influence of age, sex and somatic variables on the motor performance of pre-school children. *Ann Hum Biol* 40: 444-450.
19. Palomo, T., Beninger, R.J., Kostrzewa, R.M., & Archer, T (2008) Affective status in relation to impulsive, motor and motivational symptoms: personality, development and physical exercise. *Neurotox Res* 14: 151-168.
20. Garcia D, Archer T, Moradi S, Andersson-Arnén AC (2012) Exercise Frequency, High Activation Positive Affectivity and Psychological Well-Being: Beyond Age, Gender, and Occupation. *Psychology*, 3: 328-336.
21. Sebire SJ, Jago R, Fox KR, Edwards MJ, Thompson JL (2013) Testing a self-determination theory model of children's physical activity motivation: a cross-sectional study. *Int J Behav Nutr Phys Act*. 10:111.
22. Nakamura BJ, Selbo-Bruns A, Okamura K, Chang J and Slavin L, et al. (2013) Developing a systematic evaluation approach for training programs within a

- train-the-trainer model for youth cognitive behavior therapy. *Behav Res Ther*. 53:10-19.
23. Vijayakumar N, Whittle S, Yücel M, Dennison M, Simmons J, Allen NB (2013) Prefrontal Structural Correlates of Cognitive Control during Adolescence: A 4-Year Longitudinal Study. *J Cogn Neurosci*.
 24. Manitt C, Eng C, Pokinko M, Ryan RT and Torres-Berrío A, et al. (2013) dcc orchestrates the development of the prefrontal cortex during adolescence and is altered in psychiatric patients. *Transl Psychiatry* 3:e338.
 25. Treit S, Chen Z, Rasmussen C, Beaulieu C (2013) White Matter Correlates of Cognitive Inhibition During Development: A Diffusion Tensor Imaging Study. *Neuroscience*. pii: S0306-4522(13)01035-X.
 26. Myer GD, Kushner AM, Faigenbaum AD, Kiefer A and Kashikar-Zuck S, et al. (2013) Training for the developing brain, part 1: cognitive developmental considerations for training youth. *Curr Sports Med Rep* 12: 304-310.
 27. Archer T, Kostrzewa RM (2013) Physical exercise alleviates ADHD symptoms: regional deficits and development trajectory. *Neurotox Res*. 21:195-209.
 28. Hashim HA, Freddy G, Rosmatunisah A (2012) Relationships between negative affect and academic achievement among secondary school students: the mediating effects of habituated exercise. *J Phys Act Health* 9: 1012-1019.
 29. Lusk P, Melnyk BM (2011) The brief cognitive-behavioral COPE intervention for depressed adolescents: outcomes and feasibility of delivery in 30-minute outpatient visits. *J Am Psychiatr Nurses Assoc* 17: 226-236.
 30. Melnyk BM, Jacobson D, Kelly S, Belyea M and Small L, et al. (2013) Promoting healthy lifestyles in high school adolescents. *Am J Prev Med* 45: 407-415.
 31. Diener D (1984) Subjective Well-being. *Psychological Bulletin* 95: 542-575.
 32. Ryff CD (1989) Happiness is everything, or is it? Explorations on the meaning of psychological well-being. *Journal of personality and Social Psychology* 57: 1069-1081
 33. Kruglanski, AW, Thompson EP, Higgins ET, Atash MN and Pierro A, et al. (2000). To "do the right thing" or to "just do it": Locomotion and assessment as distinct self-regulatory imperatives. *Journal of Personality and Social Psychology* 79: 793-815.
 34. Hopkins ME, Davis FC, Vantighem MR, Whalen PJ, Bucci DJ (2012) Differential effects of acute and regular exercise on cognition and affect. *Neuroscience* 215: 59-68
 35. Marosi K, Mattson MP (2013) BDNF mediates adaptive brain and body responses to energetic challenges. *Trends Endocrinol Metab*. pii: S1043-2760(13)00178-1.
 36. Vaynman S, Ying Z, Gomez-Pinilla F (2004) Hippocampal BDNF mediates the efficacy of exercise on synaptic plasticity and cognition. *Eur J Neurosci* 20: 2580-2590.
 37. Gomez-Pinilla F, Zhuang Y, Feng J, Ying Z, Fan G (2011) Exercise impacts brain-derived neurotrophic factor plasticity by engaging mechanisms of epigenetic regulation. *Eur J Neurosci* 33: 383-390.
 38. Pareja-Galeano H, Briochio T, Sanchis-Gomar F, Montal A and Jovani C, et al. (2013) Impact of exercise training on neuroplasticity-related growth factors in adolescents. *J Musculoskelet Neuronal Interact* 13: 368-371.