

Polignac's Conjecture with New Prime Number Theorem

YinYue Sha*

Dongling Engineering Center, Ningbo Institute of Technology, Zhejiang University, China

Abstract

There are infinitely many pairs of consecutive primes which differ by even number E_n . Let $P_o(N, E_n)$ be the number of Polignac Prime Pairs (which difference by the even integer E_n) less than an integer $(N+E_n)$, P_{ei} be taken over the odd prime divisors of the even integer E_n less than $\sqrt{(N+E_n)}$, P_{ni} be taken over the odd primes less than $\sqrt{(N+E_n)}$ except P_{ei} , P_i be taken over the odd primes less than $\sqrt{(N+E_n)}$, then exists the formulas as follows:

$$P_o(N, E_n) \geq \text{INT} \{N \times (1-1/2) \times \prod (1-1/P_{ei}) \times \prod (1-2/P_{ni})\} - 1$$

$$\geq \text{INT} \{C_{twin} \times K_e(N) \times 2N/(\ln(N+E_n))^2\} - 1$$

$$P_o(N, 2) \geq \text{INT} \{0.660 \times 1.000 \times 2N/(\ln(N+2))^2\} - 1$$

$$\prod (P_i(P_i-2)/(P_i-1)^2) \geq C_{twin}=0.6601618158\dots$$

$$K_e(N)=\prod((1-1/P_{ei})/(1-2/P_{ei}))=\prod((P_{ei}-1)/(P_{ei}-2)) \geq 1$$

where -1 is except the natural integer 1.

Keywords: Twin prime, Polignac prime, Bilateral sieve method

Introduction

In number theory, Polignac's conjecture was made by Alphonse de Polignac in 1849 and states: For any positive even number E_n , there are infinitely many prime gaps of size E_n . In other words: There are infinitely many cases of two consecutive prime numbers with difference E_n [1].

The conjecture has not yet been proven or disproven for a given value of E_n . In 2013 an important breakthrough was made by Zhang Yitang who proved that there are infinitely many prime gaps of size E_n for some value of $E_n < 70,000,000$ [2].

For $E_n=6$, it says there are infinitely many primes $(p, p+6)$. For $E_n=4$, it says there are infinitely many cousin primes $(p, p+4)$. For $E_n=2$, it is the twin prime conjecture that there are infinitely many twin primes $(p, p+2)$ as shown in Figure 1. For $E_n=0$, it is the new prime theorem.

The Polignac Prime of Even Integer

For an any even integer E_n there exists a prime P for which the Polignac number $Q=E_n+P$ is also prime. The Polignac Prime pairs shall be denoted by the representation $E_n=Q-P=(E_n+P)-P$, where P and Q are primes and prime $P\{P \leq Q\}$ is a Polignac prime of even integer E_n . Looking at the Polignac partition a different way, we can look at the number of distinct representations (or Polignac primes) that exist for E_n .

For example, as noted at the beginning of this discussion:

$$2=05-03=(2+03)-03; 2=07-05=(2+05)-05;$$

$$2=13-11=(2+11)-11; 2=19-17=(2+17)-17;$$

$$2=31-29=(2+29)-29; 2=43-41=(2+41)-41;$$

$$2=61-59=(2+59)-59; 2=73-71=(2+71)-71;$$

where 3, 5, 11, 17, 29, 41, 59 and 71 are Polignac primes of even integer 2.

$$4=07-03=(4+03)-03; 4=11-07=(4+07)-07;$$

$$4=17-13=(4+13)-13; 4=23-19=(4+19)-19;$$

$$4=41-37=(4+37)-37; 4=47-43=(4+43)-43;$$

$$4=71-67=(4+67)-67; 4=83-79=(4+79)-79;$$

where 3, 7, 13, 19, 37, 43, 67 and 79 are Polignac primes of even integer 4.

$$6=11-05=(6+05)-05; 6=13-07=(6+07)-07;$$

$$6=17-11=(6+11)-11; 6=19-13=(6+13)-13;$$

$$6=23-17=(6+17)-17; 6=29-23=(6+23)-23;$$

$$6=37-31=(6+31)-31; 6=43-37=(6+37)-37;$$

$$6=47-41=(6+41)-41; 6=53-47=(6+47)-47;$$

$$6=59-53=(6+53)-53; 6=67-61=(6+61)-61;$$

$$6=73-67=(6+67)-67; 6=79-73=(6+73)-73;$$

$$6=89-83=(6+83)-83; 6=103-97=(6+97)-97;$$

where 5, 7, 11, 13, 17, 23, 31, 37, 41, 47, 53, 61, 67, 73, 83 and 97 are Polignac primes of even integer 6.

It shows that generally the number of distinct representations (or Polignac primes) increases with increasing N .

The Sieve Method about the Polignac Primes

Let E_n is an any even integer, C_i is a positive integer more not large than N , then exists the formula as follows:

*Corresponding author: YinYue Sha, Dongling Engineering Center, Ningbo Institute of Technology, Zhejiang University, China, Tel: 571 8517 2244; E-mail: shayinyue@qq.com

Received July 04, 2016; Accepted November 08, 2016; Published November 11, 2016

Citation: Sha YY (2016) Polignac's Conjecture with New Prime Number Theorem. J Phys Math 7: 201. doi: 10.4172/2090-0902.1000201

Copyright: © 2016 Sha YY. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.




Figure 1: Riemann prime counting function with new prime number theorem.

$$En = (En + Ci) - Ci \tag{1}$$

where Ci and $En + Ci$ are two positive integers more not large than $N + En$.

If Ci and $En + Ci$ any one can be divided by the prime anyone more not large than $\sqrt{N + En}$, then sieves out the positive integer Ci ; If both Po and $En + Po$ can not be divided by all primes more not large than $\sqrt{N + En}$, then both the Po and $En + Po$ are primes at the same time, where the prime Po is a Polignac prime of even integer En .

The Total of Representations of Even Integer

Let En is an any even integer, then exists the formula as follows:

$$En = (En + Ci) - Ci \tag{2}$$

where Ci is the natural integer less than N .

In terms of the above formula we can obtain the array as follows:

$$(En + 1, 1), (En + 2, 2), (En + 3, 3), (En + 4, 4), (En + 5, 5), \dots, (En + N, N).$$

From the above arrangement we can obtain the formula about the total of Polignac numbers of even integer En as follows:

$$Ci(N, En) = N - \text{Total of integers } Ci \text{ more not large than } N \tag{3}$$

The Bilateral Sieve Method of Even Prime 2

It is known that the number 2 is an even prime, and above arrangement from $(En + 1, 1)$ to $(En + N, N)$ can be arranged to the form as follows:

$$(En + 1, 1), (En + 3, 3), (En + 5, 5), \dots, (En + N - X : X < 2, N - X : X < 2).$$

$$(En + 2, 2), (En + 4, 4), (En + 6, 6), \dots, (En + N - X : X < 2, N - X : X < 2),$$

From the above arrangement we can known that: Because the even integer En can be divided by the even prime 2, therefore, both Ci and $En + Ci$ can be or can not be divided by the even prime 2 at the same time.

The number of integers Ci that Ci and $En + Ci$ anyone can be divided by the even prime 2 is $\text{INT}(N \times (1/2))$.

The number of integers Ci that both Ci and $En + Ci$ can not be divided by the even prime 2 is $N - \text{INT}(N \times (1/2)) = \text{INT}\{N - N \times (1/2)\} = \text{INT}\{N \times (1 - 1/2)\}$.

The density of integers Ci that both Ci and $En + Ci$ can not be divided by the even prime 2 (or the ratio of the number of integers Ci

that both Ci and $En + Ci$ can not be divided by the even prime 2 to the total of integers Ci more not large than N) as follows:

$$Si(N, En, 2) = \text{INT}(N \times (1/2)), Ci(N, En, 2) = N - Si(N, En, 2) \tag{4}$$

$$Di(N, En, 2) = Ci(N, En, 2) / (N) = \text{INT}\{N \times (1 - 1/2)\} / N \tag{5}$$

The Bilateral Sieve Method of Odd Prime 3

It is known that the number 3 is an odd prime, and above arrangement from $(En + 1, 1)$ to $(En + N, N)$ can be arranged to the form as follows:

$$(En + 1, 1), (En + 4, 4), (En + 7, 7), \dots, (En + N - X : X < 3, N - X : X < 3),$$

$$(En + 2, 2), (En + 5, 5), (En + 8, 8), \dots, (En + N - X : X < 3, N - X : X < 3),$$

$$(En + 3, 3), (En + 6, 6), (En + 9, 9), \dots, (En + N - X : X < 3, N - X : X < 3).$$

From the above arrangement we can known that:

If the even integer En can be divided by odd prime 3, then both the Ci and $En + Ci$ can be or can not be divided by odd prime 3 at the same time.

The number of integers Ci that the Ci and $En + Ci$ anyone can be divided by odd prime 3 is $\text{INT}(N \times (1/3))$.

The number of integers Ci that both Ci and $En + Ci$ can not be divided by odd prime 3 is $N - \text{INT}(N \times (1/3)) = \text{INT}\{N - N \times (1/3)\} = \text{INT}\{N \times (1 - 1/3)\}$.

The density of integers Ci that both Ci and $En + Ci$ can not be divided by odd prime 3 (or the ratio of the number of integers Ci that both Ci and $En + Ci$ can not be divided by the odd prime 3 to the total of integers Ci more not large than N) as follows:

$$Sei(N, En, 3) = \text{INT}(N \times (1/3)), Cei(N, En, 3) = N - Sei(N, En, 3) \tag{6}$$

$$Dei(N, En, 3) = Cei(N, En, 3) / (N) = \text{INT}\{N \times (1 - 1/3)\} / N \tag{7}$$

If the even integer En can not be divided by the odd prime 3, then both Ci and $En + Ci$ can not be divided by the odd prime 3 at the same time, that is the Ci and $En + Ci$ only one can be divided or both the Ci and $En + Ci$ can not be divided by the odd prime 3.

The number of integers Ci that the Ci and $En + Ci$ anyone can be divided by the odd prime 3 is $\text{INT}(N \times (2/3))$.

The number of integers Ci that both the Ci and $En + Ci$ can not be divided by the odd prime 3 is $N - \text{INT}(N \times (2/3)) = \text{INT}\{N - N \times (2/3)\} = \text{INT}\{N \times (1 - 2/3)\}$.

The density of integers Ci that both Ci and $En + Ci$ can not be divided by odd prime 3 (or the ratio of the number of integers Ci that both Ci and $En + Ci$ can not be divided by the odd prime 3 to the total of integers Ci more not large than N) as follows:

$$Sni(N, En, 3) = \text{INT}(N \times (2/3)), Cni(N, En, 3) = N - Sni(N, En, 3) \tag{8}$$

$$Dni(N, En, 3) = Cni(N, En, 3) / (N) = \text{INT}\{N \times (1 - 2/3)\} / N \tag{9}$$

The Bilateral Sieve Method of Odd Prime 5

It is known that the number 5 is an odd prime, and above arrangement from $(En + 1, 1)$ to $(En + N, N)$ can be arranged to the form as follows:

$$(En + 1, 1), (En + 06, 06), (En + 11, 11), \dots, (En + N - X : X < 5, N - X : X < 5),$$

$$(En + 2, 2), (En + 07, 07), (En + 12, 12), \dots, (En + N - X : X < 5, N - X : X < 5),$$

$$(En + 3, 3), (En + 08, 08), (En + 13, 13), \dots, (En + N - X : X < 5, N - X : X < 5),$$

$(En+4, 4), (En+09, 09), (En+14, 14), \dots, (En+N-X:X < 5, N-X:X < 5),$
 $(En+5, 5), (En+10, 10), (En+15, 15), \dots, (En+N-X:X < 5, N-X:X < 5).$

From the above arrangement we can know that:

If the even integer En can be divided by odd prime 5, then both the Ci and $En+Ci$ can be or can not be divided by odd prime 5 at the same time.

The number of integers Ci that the Ci and $En+Ci$ anyone can be divided by odd prime 5 is $INT(N \times (1/5)).$

The number of integers Ci that both Ci and $En+Ci$ can not be divided by odd prime 5 is $N-INT(N \times (1/5))=INT\{N-N \times (1/5)\}=INT\{N \times (1-1/5)\}.$

The density of integers Ci that both Ci and $En+Ci$ can not be divided by odd prime 5 (the ratio of the number of integers Ci that both Ci and $En+Ci$ can not be divided by odd prime 5 to the total of integers Ci more not large than N) as follows:

$$Sei(N, En, 5)=INT(N \times (1/5)), Cei(N, En, 5)=N-Sei(N, En, 5) \quad (10)$$

$$Dei(N, En, 5)=Cei(N, En, 5)/(N)=INT\{N \times (1-1/5)\}/N \quad (11)$$

If the even integer En can not be divided by the odd prime 5, then both Ci and $En+Ci$ can not be divided by the odd prime 5 at the same time, that is the Ci and $En+Ci$ only one can be divided or both the Ci and $En+Ci$ can not be divided by the odd prime 5.

The number of integers Ci that the Ci and $En+Ci$ anyone can be divided by the odd prime 5 is $INT(N \times (2/5)).$

The number of integers Ci that both the Ci and $En+Ci$ can not be divided by the odd prime 5 is $N-INT(N \times (2/5))=INT\{N-N \times (2/5)\}=INT\{N \times (1-2/5)\}.$

The density of integers Ci that both Ci and $En+Ci$ can not be divided by odd prime 5 (or the ratio of the number of integers Ci that both Ci and $En+Ci$ can not be divided by the odd prime 5 to the total of integers Ci more not large than N) as follows:

$$Sni(N, En, 5)=INT(N \times (2/5)), Cni(N, En, 5)=N-Sni(N, En, 5) \quad (12)$$

$$Dni(N, En, 5)=Cni(N, En, 5)/(N)=INT\{N \times (1-2/5)\}/N \quad (13)$$

The Sieve Function of Bilateral Sieve Method

Let En is an even integer, then exists the formula as follows:

$$En=(En + Ci) - Ci \quad (14)$$

where Ci is the natural integer less than N .

In terms of the above formula we can obtain the array as follows:

$(En+1, 1), (En+2, 2), (En+3, 3), (En+4, 4), (En+5, 5), \dots, (En+N, N).$

Let Pi be an odd prime less than $\sqrt{(N+En)}$, then the above arrangement can be arranged to the form as follows:

$(En+1, 1), (En+Pi+1, Pi+1), \dots, (En+N-X:X < Pi, N-X:X < Pi),$

$(En+2, 2), (En+Pi+2, Pi+2), \dots, (En+N-X:X < Pi, N-X:X < Pi),$

$(En+3, 3), (En+Pi+3, Pi+3), \dots, (En+N-X:X < Pi, N-X:X < Pi),$

$(En+Pi, Pi), (En+2Pi, 2Pi), \dots, (En+N-X:X < Pi, N-X:X < Pi).$

If the even integer En can be divided by the odd prime Pei , then both the Ci and $En+Ci$ can be or can not be divided by the odd prime Pei at the same time.

The number of integers Ci that the Ci and $En+Ci$ anyone can be divided by the odd prime Pei is $INT(N \times (1/Pei)).$

The number of integers Ci that both the Ci and $En+Ci$ can not be divided by the odd prime Pei is $N-INT(N \times (1/Pei))=INT\{N-N \times (1/Pei)\}=INT\{N \times (1-1/Pei)\}$

The density of integers Ci that both the Ci and $En+Ci$ can not be divided by the odd prime Pei (or the ratio of the number of integers Ci that both the Ci and $En+Ci$ can not be divided by the odd prime Pei to the total of integers Ci more not large than N) as follows:

$$Sei(N, En, Pei)=INT(N \times (1/Pei)), Cei(N, En, Pei)=N-Sei(N, En, Pei) \quad (15)$$

$$Dei(N, En, Pei)=Cei(N, En, Pei)/(N)=INT\{N \times (1-1/Pei)\}/N \quad (16)$$

If the even integer En can not be divided by the odd prime Pni , then both the Ci and $En+Ci$ can not be divided by the odd prime Pni at the same time, that is the Ci and $En+Ci$ only one can be divided or both the Ci and $En+Ci$ can not be divided by the odd prime Pni .

The number of integers Ci that the Ci and $En+Ci$ anyone can be divided by the odd prime Pni is $INT(N \times (2/Pni)).$

The number of integers Ci that both the Ci and $En+Ci$ can not be divided by the odd prime Pni is $N-INT(N \times (2/Pni))=INT\{N-N \times (2/Pni)\}=INT\{N \times (1-2/Pni)\}.$

The density of integers Ci that both the Ci and $En+Ci$ can not be divided by the odd prime Pni (or the ratio of the number of integers Ci that both the Ci and $En+Ci$ can not be divided by the odd prime Pni to the total of integers Ci more not large than N) as follows:

$$Sni(N, En, Pni)=INT(N \times (2/Pni)), Cni(N, En, Pni)=N-Sni(N, En, Pni) \quad (17)$$

$$Dni(N, En, Pni)=Cni(N, En, Pni)/(N)=INT\{N \times (1-2/5)\}/N \quad (18)$$

Let $Po(N, En)$ be the number of Polignac Prime Pairs (which difference by the even integer En) less than an integer $(N+En)$, Pei be taken over the odd prime divisors of the even integer En less than $\sqrt{(N+En)}$, Pni be taken over the odd primes less than $\sqrt{(N+En)}$ except Pei , Pi be taken over the odd primes less than $\sqrt{(N+En)}$, then exists the formulas as follows:

$$Po(N, En) \geq INT\{N \times Di(N, En, 2) \times \prod Dei(N, En, Pei) \times \prod Dni(N, En, Pni)\} - 1$$

$$=INT\{N \times (1-1/2) \times \prod (1-1/Pei) \times \prod (1-2/Pni)\} - 1 \quad (19)$$

where -1 is except the natural integer 1.

The Polignac Prime Theorem

From above we can obtain that:

Let $Po(N, En)$ be the number of Polignac Prime Pairs (which difference by the even integer En) less than an integer $(N+En)$, Pei be taken over the odd prime divisors of the even integer En less than $\sqrt{(N+En)}$, Pni be taken over the odd primes less than $\sqrt{(N+En)}$ except Pei , Pi be taken over the odd primes less than $\sqrt{(N+En)}$, then exists the formulas as follows:

$$Po(N, En) \geq INT\{N \times Di(N, En, 2) \times \prod Dei(N, En, Pei) \times \prod Dni(N, En, Pni)\} - 1$$

$$=INT\{N \times (1-1/2) \times \prod (1-1/Pei) \times \prod (1-2/Pni)\} - 1 \quad (20)$$

Apply the Prime Number Theorem as follows:

Let $P_i(N)$ be the number of primes less than or equal to N , P_i ($3 \leq P_i \leq P_m$) be taken over the odd primes less than \sqrt{N} , then exists the formulas as follows:

$$P_i(N | N \geq 10^4) = \text{INT} \{N \times (1-1/2) \times \prod (1-1/P_i) + m + 1\} - 1 \quad (21)$$

$$\geq \text{INT} \{N \times (1-1/2) \times \prod (1-1/P_i)\} - 1 \geq \text{INT} \{N/\text{Ln}(N)\} - 1 \quad (22)$$

$$\prod (P_i(P_i-2)/(P_i-1)^2) \geq \text{Ctwin} = 0.6601618158\dots \quad (23)$$

$$K_e(N) = \prod ((1-1/P_{ei})/(1-2/P_{ei})) = \prod ((P_{ei}-1)/(P_{ei}-2)) \geq 1 \quad (24)$$

From the above and the formula (20) we can obtain the formula as follows:

$$P_o(N | N \geq 10^4, E_n) \geq \text{INT} \{N \times (1-1/2) \times \prod (1-1/P_{ei}) \times \prod (1-2/P_{ni})\} - 1 \quad (25)$$

$$\geq \text{INT} \{\text{Ctwin} \times K_e(N) \times 2N/(\text{Ln}(N+E_n))^2\} - 1 \quad (26)$$

$$\geq \text{Ctwin} \times K_e(N) \times 2N/(\text{Ln}(N+E_n))^2 - 2 \quad (27)$$

When the numbe $N \rightarrow \infty$, we can obtain the formula as follows:

$$P_o(N | N \rightarrow \infty, E_n) \geq \text{Ctwin} \times K_e(N) \times 2N/(\text{Ln}(N+E_n))^2 - 2 \quad (28)$$

$$\geq 0.660 \times 1.000 \times 2N/(\text{Ln}(N+E_n))^2 - 2 \rightarrow \infty \quad (29)$$

The above formula expresses that there are infinitely many pairs of Polignac primes which differ by every even number E_n .

When the $E_n=2$, then there are infinitely many twin primes.

Every Even Integer Greater than Four Can be Expressed as a Sum of Two Odd Primes

Every even integer greater than four can be expressed as a sum of two odd primes, and exists the formula as follows:

$$G_p(N) \geq \text{INT}\{K_{pc} \times \text{Ctwin} \times N/(\text{Ln} N)^2\} - 1 \geq \text{INT}\{0.66016 \times N/(\text{Ln} N)^2\} - 1 \geq 185 > 1$$

where the $G_p(N)$ be the number of primes P with $N-P$ primes, or, equivalently, the $G_p(N)$ be the number of ways of writing N as a sum of two primes, the N be the even integer greater than 30000.

The proof method of Goldbach's conjecture

The Goldbach's Conjecture is one of the oldest unsolved problems in Number Theory. In its modern form, it states that every even integer greater than two can be expressed as a sum of two primes.

Let N be an even integer greater than 2, and let $N=(N-G_p)+G_p$, with $N-G_p$ and G_p prime numbers, the $G_p\{G_p \leq N/2\}$ be a Goldbach Prime of even integer N . Let $G_p(N)$ be the number of Goldbach Primes of even integer N . The number of ways of writing N as a sum of two prime numbers, when the order of the two primes is important, is thus $GP(N)=2G_p(N)$ when $N/2$ is not a prime and is $GP(N)=2G_p(N)-1$ when $N/2$ is a prime. The Goldbach's Conjecture states that $G_p(N) > 0$, or, equivalently, that $GP(N) > 0$, for every even integer N greater than two.

We known that the Goldbach's Conjecture is true for every even integer N no greater than 30000, therefore, we only need to prove that the Goldbach's Conjecture is true for every even integer N greater than 30000, that is: $G_p(N | N > 30000) \geq 1$.

TWO: The Sieve Method about the Goldbach Primes

Let N be an even integer greater than 30000, then the even integer N can be expressed to the form as follows:

$$N=(N - G_n) + G_n, G_n \leq N/2 \quad (1)$$

where G_n be the positive integer no greater than $N/2$.

Sieve method

Let $N-G_n$ and G_n are two positive integers, if $N-G_n$ and G_n any one can be divisible by the prime P , then sieves the positive integer G_n ; if both the $N-G_p$ and G_p can not be divisible by the all primes no greater than \sqrt{N} , then both the $N-G_p$ and G_p are primes at the same time, the prime G_p be called the Goldbach Prime of even integer N .

Theorem 1: Let P_c be an odd prime factor of even integer N and no greater than \sqrt{N} , then the ratio of the number of integers G_p that both the $N-G_p$ and G_p can not be divisible by the prime P_c to the total of integers G_n no greater than $N/2$ is follows:

$$R(N, P_c) = \text{INT}\{N/2 - N/2/P_c\}/(N/2) = \{\text{INT}(N/2) - \text{INT}(N/2/P_c)\}/(N/2)$$

Proof: Because P_c is an odd prime factor of even integer N , therefore, both the $N-G_n$ and G_n can or can not be divisible by prime P_c at the same time, then the number of integers G_n that the $N-G_n$ and G_n any one can be divisible by the prime P_c is $\text{INT}\{(N/2)/P_c\}$, the number of integers G_n that both the $N-G_n$ and G_n can not be divisible by the prime P_c is $\{\text{INT}(N/2) - \text{INT}(N/2/P_c)\} = \text{INT}\{N/2 - N/2/P_c\}$, the ratio of the number of integers G_n that both the $N-G_n$ and G_n can not be divisible by the prime P_c to the total of integers G_n no greater than $N/2$ is follows:

$$R(N, P_c) = \{\text{INT}(N/2) - \text{INT}(N/2/P_c)\}/(N/2) = \text{INT}\{N/2 - N/2/P_c\}/(N/2) \quad (2)$$

Theorem 2: Let P_n be an odd prime no factor of even integer N and no greater than \sqrt{N} , then the ratio of the number of integers G_n that both the $N-G_n$ and G_n can not be divisible by the prime P_n to the total of integers G_n no greater than $N/2$ is follows:

$$R(N, P_n) = \text{INT}\{N/2 - N/P_n\}/(N/2) = \{\text{INT}(N/2) - \text{INT}(N/P_n)\}/(N/2)$$

Proof: Because the P_n is an odd prime no factor of even integer N , therefore, both the $N-G_n$ and G_n can not be divisible by the prime P_n at the same time, that is the $N-G_n$ and G_n only one can be divisible or both the $N-G_n$ and G_n can not be divisible by the prime P_n , then the number of integers G_n that the $N-G_n$ and G_n any one can be divisible by the prime P_n is $\text{INT}\{N/P_n\}$, the number of integers G_n that both the $N-G_n$ and G_n can not be divisible by the prime P_n is $\{\text{INT}(N/2) - \text{INT}(N/P_n)\} = \text{INT}\{N/2 - N/P_n\}$, the ratio of the number of integers G_n that both the $N-G_n$ and G_n can not be divisible by the prime P_n to the total of integers G_n no greater than $N/2$ is follows:

$$R(N, P_n) = \{\text{INT}(N/2) - \text{INT}(N/P_n)\}/(N/2) = \text{INT}\{N/2 - N/P_n\}/(N/2) \quad (3)$$

Theorem 3: The integer 2 is an even prime factor of even integer N , the ratio of the number of integers G_n that both the $N-G_n$ and G_n can not be divisible by the even prime 2 to the total of integers G_n no greater than $N/2$ is follows:

$$R(N, 2) = \text{INT}\{N/2 - N/2/2\}/(N/2) = \{\text{INT}(N/2) - \text{INT}(N/2/2)\}/(N/2)$$

Proof: Because the 2 is an even prime factor of even integer N , therefore, both the $N-G_n$ and G_n can be divisible or can not be divisible by the even prime 2 at the same time, then the number of integers G_n that the $N-G_n$ and G_n any one can be divisible by the even prime 2 is $\text{INT}\{N/2/2\}$, the number of integers G_n that both the $N-G_n$ and G_n can not be divisible by the even prime 2 is $\{\text{INT}(N/2) -$

$INT(N/2/2)=INT\{N/2 - N/2/2\}$, the ratio of the number of integers Gn that both the N-Gn and Gn can not be divisible by the even prime 2 to the total of integers Gn no greater than N/2 is follows:

$$R(N,2)=\{INT(N/2) - INT(N/2/2)\}/(N/2)=INT\{N/2 - N/2/2\}/(N/2) \tag{4}$$

Three: The Number of Goldbach Primes of Even Integer

Let $Gp(N)$ be the number of Goldbach primes of even integer N, let $Gp(N,Pn)$ be the number of Goldbach primes no greater than \sqrt{N} , then exists the formulas as follows:

$$Gp(N)=INT\{(N/2) \times R(N,2) \times \prod (N,Pci) \times \prod (N,Pni)\} + Gp(N,Pni) - 1(\text{if } N-1 \text{ prime})$$

$$=INT\{(N/2) \times (1-1/2) \times \prod(1-1/Pci) \times \prod(1-2/Pni)\} + Gp(N,Pni) - 1(\text{if } N-1 \text{ prime}) \tag{5}$$

Where Pci and Pni are odd primes no greater than \sqrt{N} .

Let $Pi(N)$ be the number of primes less than an integer N, then, be the formula as follows:

$$Pi(N) \equiv INT\{N \times (1-1/P1) \times (1-1/P2) \times \dots \times (1-1/Pm) + m - 1\} \equiv P(N) + Pi(\sqrt{N}) - 1$$

$$Pi(N) \approx Psha(N) \equiv Li(N) - 1/2 \times Li(N^{0.5})$$

$$P(N \geq N \geq 10^9) \geq 2/(1 + \sqrt{1 - 4/Ln(N)}) \times N/Ln(N) \geq N/(Ln(N) - 1)$$

$$P(N \geq N \geq 10^4) \equiv INT\{N \times (1-1/2) \times \prod(1-1/Pi)\} \geq N/Ln(N) \tag{6}$$

The Proof of Goldbach's Conjecture

Theorem 4: Every even integer greater than 30000 can be expressed as a sum of two odd primes.

Proof: According to the formula (5),

We can obtain the formula as follows:

$$Gp(N) + 1 \geq INT\{(N/2) \times (1-1/2) \times \prod(1-1/Pci) \times \prod(1-2/Pni)\}$$

$$=INT\{(N/2) \times (1-1/2) \times \prod((Pci-1)/(Pci-2)) \times \prod(1-2/Pci) \times \prod(1-2/Pni)\}$$

$$=INT\{(N/2) \times (1-1/2) \times \prod((Pci-1)/(Pci-2)) \times \prod(1-2/Pi)\}$$

$$=INT\{(N/2) \times (1-1/2) \times Kpc \times \prod(1-2/Pi)/\prod(1-1/Pi)^2 \times \prod(1-1/Pi)^2\}$$

$$=INT\{(N/2) \times (1-1/2) \times Kpc \times \prod(1-1/(Pi-1)^2) \times \prod(1-1/Pi)^2\}$$

$$\geq INT\{(N/2) \times (1-1/2) \times Kpc \times Ctwin \times \prod(1-1/Pi)^2\} \tag{7}$$

Apply the formula (6), we can obtain the formula as follows:

$$Gp(N | N \geq 30000) \geq INT\{(N/2) \times (1-1/2) \times Kpc \times Ctwin \times \prod(1-1/Pi)^2\} - 1$$

$$\geq INT\{Kpc \times Ctwin \times N/Ln(N)^2\} - 1 \geq INT\{0.66016 \times N/Ln(N)^2\} - 1$$

$$\geq INT\{0.66016 \times (30000)/Ln(30000)^2\} - 1 = INT\{186.355\dots\} - 1 = 185 > > 1 \tag{8}$$

From above formula (8) we can obtain that:

Every even integer greater than 30000 can be expressed as a sum of two odd primes.

Conclusion

For every even integer En there are infinitely many pairs of Polignac primes which difference by En .

When the $En=0$, we can obtain New Prime Number Theorem: Let $Pi(N)$ be the number of primes less than or equal to N, for any real number N, the New Prime Number Theorem can be expressed by the formula as follows: $Pi(N)=R(N)+ K \times (Li(N)- R(N)), 1 > K > -1$. The Goldbach's Conjecture is a Complete Correct Theorem.

References

1. Tattersall JJ (2005) Elementary number theory in nine chapters. Cambridge University Press, UK.
2. Erica K (2013) Unheralded Mathematician Bridges the Prime Gap. Simons Science News, China.