



## Relationship between the Chromium or Chromium Compounds on Immune Functions in Animals

Bangyuan Wu<sup>1,2\*</sup>

<sup>1</sup>College of Life Science, China West Normal University, Nanchong 637009, Sichuan, PR China

<sup>2</sup>Key Laboratory of Southwest China Wildlife Resources Conservation (China West Normal University), Ministry of Education, Nanchong 637009, Sichuan, China

### Abstract

There is a close relationship between the trace elements and the health of animal, especially the immune function, which is greatly, influenced by some trace elements, such as chromium, an essential element in animals. The effects of chromium on the immunity have been confirmed, thus, the aims of this review are to clarify the relationship between the chromium or chromium compounds on immune function in animals from the aspects of the development and growth, histological structure of the immune organs, non-specific immunity, humoral immunity, cellular immunity and cytokines.

**Keywords:** Chromium; Non-specific immunity; Humoral immunity; Cellular immunity; Cytokines

### Introduction

Chromium (Cr) is firstly discovered by a French chemist-Louis Vauquelin in 1797 in the natural environment as an transitional metallic elements, which exists in a number of different valence states, such as 0, 2, 3 or 6 valence, but 3 valence ( $\text{Cr}^{3+}$ ) is the most stable form existing in animals. However, for a long time, chromium is considered to be a toxic and harmful substance to animals. Till to 1957, Metz and Schwarz found that the main active component of the glucose tolerance factor in beer yeast was trivalent chromium ion ( $\text{Cr}^{3+}$ ). In the following research, it has been found that there were many biological functions of chromium, such as promote the action of insulin for the utilization of sugars, proteins and fats, and enhance the immunity of animals and so on.

The effects of chromium on the animal immunity has been proven, which can improve body's immunity and enhance the ability of disease resistance, thus reduce the susceptibility of animals to disease. However, at present, the relationship between the chromium and immune functions is not quite clear. Therefore, this review gives an overview of the relationship between chromium and the immune functions in animals from the aspects of biological functions of the essential trace element-chromium, the effects on the growth and development of immune organs, nonspecific immunity, humoral immunity, cellular immunity and cytokines, we hope this review will provide a helpful foundation on the relationship between chromium and immune function in the future studies. Due to constraint of space only a limited number of studies have been cited.

### Biological Functions of Chromium

Ionic chromium has no biological activity, but the organic or inorganic form chromium compounds are more easily absorbed and have higher biological utilization rate in animals [1].

As an essential trace element, chromium is required for normal carbohydrate metabolism by regulating insulin action [2]. It also involves in the mechanism of sugars, proteins, fats and nuclear acid [3,4]. If the chromium deficiency, the utilization of the above mentioned substance would be inhibited [5-8]. In addition, chromium can promote the growth performance of animals [9-12], and promote some enzymes activities, and is beneficial to maintain the integrity and stability of the nucleic acid, helpful to the glycine, serine, methionine and other amino acids to

be stored or uptake in the tissues [13,14]. Chromium also has beneficial effect on both muscle strength and body composition [15]. Chromium deficiency in diet may result in slow growth, impaired glucose tolerance, diabetes and coronary artery diseases [16].

### The effects of chromium on the development and growth of immune organs

Immune organs mainly consist of lymph nodes, thymus, spleen and bursa of Fabricius (unique to poultry). As the important immune organs in animals, whose weight has closed relationship with the immune functions [17]. Therefore, to a certain extent, the immune organ index (the ratio of immune to body weight) can reflects the immune function of the animal. It has been reported that chromium can increase the absolute weight of the thymus, spleen and bursa of Fabricius in broiler [18], for example, the inorganic chromium ( $\text{CrCl}_3$ ) could improve the thymus, spleen and bursa of Fabricius index [19,20]. In addition, the organic chromium also has some effects of the immune organs, the collagen peptide-chromium ( $\beta$ ) chelate can inhibit the decrease of the growth of the immune organs and immune organ index induced by mesoxalyurea [21].

### The effects of chromium on the histological changes

Few studies about the chromium on the histological changes. The chromium can inhibit the pathological changes which induced by heat stress (for example, volume of lymphatic nodules amplified, lymph beside artery of white pulp were more thicken and the number of ellipsoid increase) [22].

### The effects of chromium on the nonspecific immunity

Nonspecific immunity is a inherent immune, which can response to all kinds of invasion of pathogenic microorganisms invasion rapidly,

\*Corresponding author: Bangyuan Wu, College of Life Science, China West Normal University, Nanchong 637009, Sichuan, PR China; E-mail: [wubangyuan2008@163.com](mailto:wubangyuan2008@163.com)

Received August 16, 2017; Accepted August 17, 2017; Published September 24, 2017

Citation: Wu B (2017) Relationship between the Chromium or Chromium Compounds on Immune Functions in Animals. J Vet Med Health 1: 101.

Copyright: © 2017 Wu B. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

and also plays an important role in the beginning period of specific immune process. Some studies reported that additional chromium ( $\beta$ ) increase the level of lysozyme in rat [23,24]. The chromium (VI) can decrease the number and the phagocytosis of phagocytes, neutrophils, macrophage, and inhibit the activity of lysozyme in *Cyprinus carpio* [25], but some other studies reported that  $\text{CrCl}_3$  and chromium picolinate (CrP) have no significantly effects on the lymphocyte and neutrophils [26], and the additional chromium has no effects on the nonspecific immunity of the *Eriocheir sinensis* [27]. It can be seen that the influence of chromium on the non-specific immunity is still controversial and needs to be further studied.

### The effects of chromium on the humoral immunity

The humoral immunity is reflected by the production of antibodies by B cells, therefore, the B cells are the major cells which responsible for humoral immunity. Animals studies have been proven that the chromium has significantly effects on the humoral immunity.  $\text{CrCl}_3$  and CrP can enhance the production of antibody and improve the humoral immunity of pig or rabbits [26,28], chromium propionate supplementation can increase the serum antibody titer and immunoglobulin content in weaned pigs [29], chromium pyridine carboxylate or lysine chromium can increase the globulin level of the cows in lactation period [30]. In addition, supplementation of the trivalent chromium (CrP and chromium pyridine carboxylate) could significantly increase the content of immunoglobulins under the condition of severe stress [31,32]. Chromium can also significantly enhance the antibody titer of T lymphocytes to bovine serum albumin (BSA) [33], and to the *Pseudo rabies virus* (PRV) in weaning piglets [33,34]. Dietary chromium supplementation can increase the antibody titer to the serum newcastle disease [36,32], and enhance the humoral immunity of broilers [37,38].

### The effects of chromium on the cellular immunity

T cells is the mainly cells participate in the cellular immunity. A lot of studies have been confirmed that the supplementation of the chromium has positive effect on the cellular immunity. Chromium could increase the conversion of peripheral blood lymphocytes by interactivity with insulin and cortisol [39]. Chromium can improve the proliferation of the T lymphocytes [40], and enhance the cellular immunity [38]. Organic chromium can increase the cytolytic activity of T and NK cells by activating these immune cells [21]. Dietary  $\text{CrCl}_3$  significantly improve the conversion rate of total blood lymphocyte in rabbits [28], increase the conversion rate of lymphocyte in piglet (Van Heugten and Spears, 1997). CrP can also increase the lymphocyte conversion rate treated with phytohemagglutinin (PHA) [34,35] or heat stress [22], enhance the conversion rate of T lymphocytes in peripheral blood and spleen [23].

### The effects of chromium on the cytokines

Cytokines are the small molecule proteins with biological activities which synthesized and secreted by immune cells (such as macrophages, T cells, B cells, NK cells, etc.) and some non-immune cells (endothelial cells, skin cells, fibroblast, etc.). As mentioned above, the chromium or chromium compounds pose effect on immune organs or immune cells, so it will affect the cytokines directly or indirectly. CrP can increase the level of serum interleukin-2 (IL-2) and interleukin-6 (IL-6) in pigs [41]. In addition, in vitro experimental study indicated that chromium could increase the level of interleukin-4 (IL-4), interferon- $\gamma$  (IFN- $\gamma$ ) in monocytes [39], and the level of tumor necrosis factor (TNF- $\alpha$ ) in macrophage [42] or monocytes [43]. Other studies also reported that chromium affect the secretion of IL-12, and the mRNA expression

of TNF- $\alpha$ , IL-1 $\alpha$ , IL-6, INF- $\alpha$ , macrophage colony stimulating factor (M-CSF), transforming growth factor (TGF- $\beta$ ) [44].

### The Mechanisms of Chromium on Immunity

Chromium, as necessary trace element, whose effect on the immune regulation has been confirmed. The mechanisms of action of chromium on immunity are related with the effects of chromium on the insulin and cortisol [45-47]. Some other studies have also proved that after the immune system is activated by chromium, the proliferation rate and the number of T and B lymphocytes significantly increased [44]. Furthermore, chromium can improve the immune function by regulating the activity of some immune related enzymes and content of immunoglobulin [48,49]. Chromium may also improve the immune function by enhancing the immune effect of the vaccine or by lowering cortisol level or other immune intermediates [50,35,34].

In addition, chromium can affect the biosynthesis of proteins [51,52] and RNA [53,54] in the nucleus, and it also participate in the maintain of DNA integrity [55] and this may be the molecular mechanisms of the chromium on immunity.

### Prospective Research of the Chromium

With the continuous development of molecular biology and genetic engineering technology, a large number of new and effective chromium functional food or feed additives will be synthesized, and will be used to cure some metabolic disease of humans and animals. The relationship between the chromium and the cancer or other diseases remains to be elucidated, and the histological changes of the tissues induced by chromium should be clarified. In the poultry production, the mechanism of action, biological titer of different forms, and the supplementation dosage in the diet in different physiological period needs to be further studied in the future.

### References

- Ducros V (1992) Chromium metabolism. Biological Trace Element Research 32: 65-77.
- Anderson RA (1992) Chromium, glucose tolerance, and diabetes. Biological Trace Element Research 32: 19-24.
- Karch SB, Stephens BG, Ho CH (1999) Methamphetamine-related deaths in San Francisco: demographic, pathologic, and toxicologic profiles. J Forensic Sci 44: 359-368.
- Baskin-Sommers, Sommers I (2006) Methamphetamine use and violence among young adults. J Criminal Justice 34: 661-674.
- Dai JG, Dang S, Jin G, Zhong ZP, Lu W, et al. (2007). Effect of chromium supplementation on immune function and performance of weanling piglets. Animal Husbandry and Veterinary Medicine 39: 16-18.
- Habibian M, Ghazi S, Moeini MM (2013) Lack of effect of dietary chromium supplementation on growth performance and serum insulin, glucose, and lipoprotein levels in broilers reared under heat stress condition. Biological Trace Element Research 153: 205-211.
- Guimaraes MM, Martins Silva Carvalho, Silva MS (2013) Chromium nicotinate has no effect on insulin sensitivity, glycemic control, and lipid profile in subjects with type 2 diabetes. J Am College of Nutrition 32: 243-250.
- Zhen L, Wang L, Fu J, Li Y, Zhao N, et al. (2016) Hexavalent chromium affects sperm motility by influencing protein tyrosine phosphorylation in the midpiece of boar spermatozoa. Reproductive Toxicology 59: 66-79.
- Naghieh A, Toghyani M, Gheisari AA, Saeed SE, Miranzadeh H (2010) Effect of different sources of supplemental chromium on performance and immune responses of broiler chicks. J Animal and Veterinary Advances 9: 354-358.
- Barajas R, Cervantes BJ, Velazquez EA, Romo JA, Juarez F, et al. (2008) Chromium methionine supplementation on feedlot performance and carcass characteristics of bulls: II. Results including trough hot and humidity season in the Northwest of Mexico. Proceedings of Western Section of Society American of Animal Science 59: 374-375.

11. El-Hommosany YM (2008) Study of the physiological changes in blood chemistry, humoral immune response and performance of quail chicks fed supplemental chromium. *Intern J Poultry Sci* 7: 40-44.
12. Kegley EB, Spears JW (1995) Immune response, glucose metabolism, and performance of stressed feeder calves fed inorganic or organic chromium. *J Animal Sci* 73: 2721-2726.
13. Eren M, Baspnar N (2004) Effects of dietary CrCl<sub>3</sub> supplementation on some serum biochemical markers in broilers. Influence of season, age and sex. *Revue de Medecine Veterinaire* 155: 637-641.
14. Yildiz AO, Parlat SS, Yazgan O (2004) The effects of organic chromium supplementation on production traits and some serum parameters of laying quails. *Revue Medecine Veterinaire* 155: 642-646.
15. Young PC, Turiansky GW, Bonner MW, Benson PM (1999) Acute generalized exanthematous pustulosis induced by chromium picolinate. *J Am Academy of Dermatology* 41: 820-823.
16. Abraham AS, Brooks BA, Eylath U (1991) Chromium and cholesterol-induced atherosclerosis in rabbits. *Annals of Nutrition and Metabolism* 35: 203-207.
17. Lee SY, Kim AY, Kim YR, Kim KM (1995) Effects of panax ginseng on morphine-induced immune suppression. *Biomolecules & Therapeutics* 3: 199-199.
18. Zhang R (1999) Function of trace mineral elements in immunity. *China Feed* 12: 27-28.
19. Zheng SC, Huang YL, Xiao F (2015) Effects of chromium sources and chromium levels on growth performance, immune organ indexes and meat quality of broilers under normal rearing condition. *Chinese J Animal Nutrition* 27: 2378-2387.
20. Xiao F, Yang J, Zhou B, Ao D, Huang YL (2016) Effects of chromium sources and adding levels of chromium on serum biochemical indexes, body fat deposition and immune organ indexes of broiler chicks under heat stress. *Heilongjiang Animal Science and Veterinary Medicine* 9: 23-28.
21. Zhang X, Zhang GR, Che W, Liu AJ (2008) Effects of collagen peptide-chromium (III) complex on immunity in diabetic mice. *Acta Laboratorium Animalis Scientia Sinica* 16: 10-13.
22. Li SH, Wang Y, Deng YH, Xu WX, Jin GM, et al. (2004) Effect of chromium on the organization and structure of spleen in heat stressed layers. *Chinese J Veterinary Sci* 24: 71-74.
23. Zha LY, Luo HJ, Deng H, Mao LM, Chu XW, et al. (2009) Effect of trivalent chromium on immune function of heat-stressed rats. *Modern Preventive Medicine* 36: 2262-2264.
24. Prabakaran M, Binuramesh C, Steinhagen D, Michael RD (2006) Immune response and disease resistance of oreochromis mossambicus to aeromonas hydrophila after exposure to hexavalent chromium. *Diseases of Aquatic Organisms* 68: 189-196.
25. Chen JC, Qu JH, Hu GD (2002) Effects of chromium on non-specific immunity of Cyprinus carpio Linn. *Journal of Zhejiang Ocean University (Natural Science)* 21: 13-15.
26. Van Heugten EV, Spears JW (1997) Immune response and growth of stressed weanling pigs fed diets supplemented with organic or inorganic forms of chromium. *J Animal Sci* 75: 409-416.
27. Yang YH, Zhou YK, Shi HQ, Chen LQ (2006) Effects of dietary chromium on non-specific immunity and stress resistance of eriocheir sinensis. *Fresh Water Fisheries* 36: 11-15.
28. Cheng YF, Sun L, Li JH, Liu F, Liu H, et al. (2008) The effects of chromium trichloride on the growth performance and immune function of rabbits. *Animal Husbandry & Veterinary Medicine* 40: 58-59.
29. Lien TF, Yang KH, Lin KJ (2005) Effects of chromium propionate supplementation on growth performance, serum traits and immune response in weaned pigs. *Asian-Aust Journal of Animal Science* 18: 403-408.
30. Yu AB, Wang JQ, Zhao GQ, Yuan YM (2013) Effect of chelated chromium supplementation on lactation performance and blood parameters of dairy cows during the lactating period. *China Animal Husbandry & Veterinary Medicine Abstract* 3: 31.
31. Bunting LD, Fernandez JM, Thompson DL, Southern LL (1994) Influence of chromium picolinate on glucose usage and metabolic criteria in growing Holstein calves. *J Animal Sci* 72: 1591-1599.
32. Zhang CH, Jiang JY, Ren HY, Zhu FH, Li LW (2009) Effects of chromium yeast on immune function and carcass quality in heat stressed broilers. *Acta Ecologiae Animalis Domastici* 5: 56-61.
33. Li SF, Luo XG, Liu B, Shao GZ, Guo XQ, et al. (2001) Effect of organic chromium on egg production and immune responses in heat stressed layers. *Acta Nutrimenta Sinica* 23: 117-121.
34. Lee DN, Yen HT, Shen TF, Chen BJ (1997) The effects of chromium picolinate supplementation on growth performance and immunity response of weanling pigs. *J-Chinese Society of Animal Sci* 26: 373-386.
35. Yan XZ, Zhang ZH (2005) Influence of organic chromium on performance and immune function of weanling piglets. *J Henan Agricultural Sci* 34: 90-94.
36. Liu XJ, Chen J, Bian LQ (2004) Advances in Chromium Nutrition. *Animal Science & Veterinary Medicine* 21: 48-49.
37. Luo XG, Guo YL, Liu B, Hao ZL, Chen JL, et al. (1999) Effect of dietary chromium on growth, serum biochemical traits and immune responses of broiler chicks during 0-3 weeks of age. *Acta Veterinaria et Zootechnica Sinica* 30: 481-489.
38. Yang MH, Zhang HX, Li LH (2008) The effect of yeast chromium on the immune function of hens. *Guangdong Feed*: 31-33.
39. Besong S, Jackson JA, Trammell DS, Akay V (2001) influence of supplemental chromium on concentrations of liver triglyceride, blood metabolites and rumen VFA profile in steers fed a moderately high fat diet. *J Dairy Sci* 84: 1679-1685.
40. Liu J, Zhang JT (1994) The role of trace elements in the immune system: Effects on cultured lymphocytes. *Foreign Medicine: Medical Geography Fascicle* 15: 171-172.
41. Myers MJ, Farrell DE, Evock-Clover, Cope CV (1995) Effect of recombinant growth hormone and chromium picolinate on cytokine production and growth performance in swine. *Pathobiology* 63: 283-287.
42. Horowitz SM, Luchetti WT, Gonzales JB, Ritchie CK (1998) The effects of cobalt chromium upon macrophages. *J Biomedical Materials Research Part A* 41: 468-473.
43. Dai M, Chen R, Zan P, Yuan XJ, Ai JB, et al. (2010). Effect of metal ions on monocyte-macrophage cells viability and RANK expression. *J Clinical Rehabilitative Tissue Engineering Research* 14: 669-672.
44. Shrivastava R, Upreti RK, Seth PK, Chaturvedi UC (2002) Effects of chromium on the immune system. *Pathogens and Disease* 34: 1-7.
45. Pechova A, Podhorský A, Lokajova E, Pavlata L, Illek J (2002) Metabolic effects of chromium supplementation in dairy cows in the periparturient period. *Acta Veterinaria Brno* 71: 9-18.
46. Frauwirth KA, Thompson CB (2004). Regulation of T lymphocyte metabolism. *J Immunol* 172: 4661-4665.
47. Sun W, Lu DX (2000) Neuroendocrine - immunoregulatory network and diseases. *Chinese J Pathophysiology* 16: 761-763.
48. Li XJ, Bao J (2008) The relationship between nutrition and immunity in piglet. *Chinese J Animal Sci* 44: 56-58.
49. Wang J, Sun P, Bu DP, Du H, Nan XM (2014). Occurrence reasons of immunosuppression in dairy cows during periparturient period and its attenuate nutritional countermeasures. *Chinese J Animal Nutrition* 26: 3579-3586.
50. Sedegah M, Weiss W, Sacci JB Jr, Charoenvit Y, Hedstrom R, et al. (2000) Improving protective immunity induced by DNA-based immunization: priming with antigen and GM-CSF-encoding plasmid DNA and boosting with antigen-expressing recombinant poxvirus. *J Immunol* 164: 5905-5912.
51. Vermes C, Roebuck KA, Chandrasekaran R, Dobai JG, Jacobs JJ (2000). Particulate wear debris activates protein tyrosine kinases and nuclear factor kb, which down-regulates type I collagen synthesis in human osteoblasts. *J Bone Miner Res* 15: 1756-1765.
52. Vajpayee P, Tripathi RD, Rai UN, Ali MB, Singh SN (2000) Chromium (VI) accumulation reduces chlorophyll biosynthesis, nitrate reductase activity and protein content in *Nymphaea alba* L. *Chemosphere* 41: 1075-1082.
53. Okada S, Suzuki M, Ohba H (1983) Enhancement of ribonucleic acid synthesis by chromium (III) in mouse liver. *J Inorg Biochem* 19: 95-103.
54. Sahin K, Tuzcu M, Orha C (2013) Chromium modulates expressions of neuronal plasticity markers and glial fibrillary acidic proteins in hypoglycemia-induced brain injury. *Life Sciences* 93: 1039-1048.
55. Bray CM, West CE (2005) DNA repair mechanisms in plants: crucial sensors and effectors for the maintenance of genome integrity. *New Phytol* 168: 511-528.