

Selection of Significant Clusters of Genes based on Ensemble Clustering and Recursive Cluster Elimination (RCE)

Loai AbdAllah¹, Waleed Khalifa², Louise C Showe³ and Malik Yousef⁴

¹Information Systems, The Max Stern Yezreel Valley College, Israel

²Computer Science, The College of Sakhnin, Sakhnin, 30810, Israel

³Center for Systems and Computational Biology, The Wistar Institute, PA, 19104 USA

⁴Community Information Systems, Zefat Academic College, Zefat, 13206, Israel

Abstract

Background: Advances in technology have facilitated the generation of gene expression data from large numbers of samples and the development of “Big Data” approaches to analysing gene expression in basic and biomedical systems. That being said, the data still includes relatively small numbers of samples and tens of thousands of variables/gene expression. A variety of different approaches have been developed for searching these gene spaces in order to select the most informative variables that can accurately distinguish one class of subjects/samples from another. However, there is still a need for new approaches that can accurately distinguish biologically different classes of subjects with similar gene expression profiles. We describe a new and promising approach for selecting the most informative differentially expressed genes that addresses this problem. We describe a method for identifying significant differentially expressed clusters of genes using a process of Recursive Cluster Elimination (RCE) that is based on an ensemble clustering approach. We refer to this approach as SVM-RCE-EC (Ensemble Clustering). We show that SVM-RCE-EC improves gene selection, classification accuracy as compared to other methods including the traditional SVM-RCE approach, and that this is particularly evident when applied to difficult data sets that are poorly resolved by other approaches.

Methods: To implement SVM-RCE-EC we first applied an ensemble-clustering method, to identify robust gene clusters. We then applied Support Vector Machines (SVMs), with cross validation to score (rank) those clusters of genes based on their contributions to classification accuracy. The clusters of genes that are least significant are progressively removed by the procedure of RCE with the most significant clusters being retained until one identifies the most robust, significantly differentially expressed genes between the two classes. We compare the classification performance of SVM-RCE-EC to a variety of published classification algorithms.

Results and Conclusion: Utilization of gene clusters selected using the ensemble method enhances classification performance as compared to other methods and identifies sets of significant genes that appear to be more biologically meaningful to the system being analyzed. We show that SVM-RCE-EC outperforms several other methods on data that represent highly similar sample classes that are difficult to distinguish and is comparable to other methods when applied to data where the classes are more easily separated. The improved performance of SVM-RCE-EC on difficult data sets is likely due to the fact that the significant clusters, as determined by the ensemble approach, capture the native structure of the data while SVM-RCE leaves that determination to the user. This hypothesis is supported by the observations that the performance of the clusters generated by SVM-RCE-EC is more robust.

Availability: The Matlab version of SVM-RCE-EC is available upon request to the first author and at GitHub (<https://github.com/malikyousef/svm-rce-ec>).

Keywords: Gene expression; Genes; Ensemble clustering; Recursive cluster elimination

Introduction

The problem of selecting the most informative genes from gene expression datasets is still a challenging problem and many different approaches have been developed to address this problem. The various methods for feature selection and feature extraction from gene expression datasets have been summarized recently [1,2] and fall into three major categories: filters, wrappers and embedded approaches. In summary, the filter approach, not based on any machine learning algorithm, uses F-statistic (ANOVA, t-test, etc.). Wrappers use learning techniques to evaluate which features are useful. Embedded techniques combine the feature selection step and the classifier construction. Pan [1] has reported a comparison of different filtering methods, highlighting similarities and differences between three main methods the t-test, a regression modeling approach and a mixture model approach. Additional comparisons of filtering techniques are available in Lazar et al. [2]. Inza et al. [3] carried out a comparison between a

different filter metrics and a wrapper sequential search procedure applied on gene expression datasets.

In this study, we present a new ensemble clustering method within the framework of SVM-RCE [4,5] and apply it to gene selection. Our method uses a process of unsupervised learning that repeatedly applies clustering algorithms several times with different parameters to an unlabeled dataset. We make the assumption that points within the same

***Corresponding author:** Malik Yousef, Community Information Systems, Zefat Academic College, Zefat, 13206, Israel, Tel: 00972-4-9058000, E-mail: malik.yousef@gmail.com

Received June 17, 2017; **Accepted** August 01, 2017; **Published** August 08, 2017

Citation: AbdAllah L, Khalifa W, Showe LC, Yousef M (2017) Selection of Significant Clusters of Genes based on Ensemble Clustering and Recursive Cluster Elimination (RCE). J Proteomics Bioinform 10: 186-192. doi: [10.4172/jpb.1000439](https://doi.org/10.4172/jpb.1000439)

Copyright: © 2017 AbdAllah L, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

cluster are more similar even though their geometric distance is large.

This process of combining multiple clusters of a set of objects without accessing the original features results in a new feature space based on the cluster labels in each iteration. This consensus of clustering is called Ensemble Clustering (EC). Combination clustering is a more challenging task than the combination of supervised classifications. Topchy et al. [6] and Strehl and Ghosh [7] addressed this issue by formulating consensus functions that avoid an explicit solution to the corresponding problem.

A clustering based learning method was proposed by Derbeko et al. [8]. In this study, several clustering algorithms are run to generate several (unsupervised) models and the labelled data is then applied to entire clusters (making the assumption that all points in the particular cluster have the same label). In this way, the algorithm develops a number of hypotheses. The one that minimizes the PAC-Bayesian boundary is the one chosen to be used as the classifier under the assumption that at least one of the clustering runs will produce a good classifier and that the algorithm will find it.

Abd-Allah and Shimshoni [9], used the ensemble clustering methods within the k-nearest neighbor classifier by developing a distance function based on ensemble clustering. Then, based on this classifier they developed a selective sampling algorithm that selected the most informative samples from an unlabelled dataset to be labelled by a teacher in order to improve the training data [10].

The first study using RCE-Recursive cluster elimination proposed by Yousef et al. [5,6] and also suggests using gene networks for clustering the genes with RCE. Both studies have reported a high performance compared with other similar methods.

A recent study by Yousef et al. [11] has used EC classification on plant microRNA data and, compared it to SVM and one-class classifiers. They showed that EC-K Nearest Neighbors (EC-KNN) outperforms all other methods indicating that the EC makes a significant contribution to the resulting higher accuracies.

The most recent study in this field Du et al. [12], proposed a hybrid feature selection method based on Multiple Kernel Learning (MKL) and was favourably compared with several different approaches. We have used the same data (they kindly provided) to test our new approach and have compared our results to their published MKL results and other reported results.

Results

Data used for assessment of classification accuracy

We have used the same data sets from the experiment by Du et al. [12] that are available from the link: <http://csbl.bmb.uga.edu/ICSB/SMKL-FS/index.html>. This data consists of three types of gene expression data that were obtained by Du et al. [12] from Gene Expression Omnibus (GEO) by Barrett et al. [13] and the Cancer Genome Atlas (TCGA) by Weinstein et al. [14]. The paired samples in the expression datasets only considered which were from tumor and which from adjacent non-tumor tissues to form the two-classes for the classification algorithm. The following steps are the summary of the pre-processing procedure applied on the data set by Du et al. [12]:

1. Missing value stage: For each missing value that is less than 20% of the sample, these values are estimated as the local least squares imputation (LLSImpute) method. Then, the different probes for the same mRNA (or miRNA) are merged by the maximum expression value of these probes for each sample.

2. Normalization stage: The median absolute deviation (MAD) method is applied to normalize expression between samples.

More information on the pre-processing steps applied on the datasets has shown in Du et al. experiment [12]. Table 1 list the eight cancer types of mRNA microarray datasets including the number of samples and GEO id.

The second data set analyzed includes mRNA and miRNA sequencing results from the following 8 datasets:

KIDNEY (88), BRCA (71), LUNG (47), HNSC (37), LIHC (46), PRAD (43), STAD (29) and THCA (56) (Values in parenthesis are the equal number of samples for both classes). These data are also obtained from Du et al. experiment [12].


Comparing results using SVM-RCE-EC and different classification approaches

The SVM-RCE-EC approach was compared to 8 previously reported methods [12] including: SVM-RFE [15], SVM-RCE [4], mRMR [16], IMRelief [17], SlimPLS [18] and SMKL-FS [12] using 10-fold Cross-Validation (CV) on a variety of datasets. The performance is calculated as the mean effectiveness measurement [12].

Figure 1 compares the reported performance of the 8 other methods on the 8 gene expression datasets from Du et al. [12]. SVM-RCE-EC outperforms the best results obtained by SMKL-FS as reported by the study by about 7% [12] and outperforms the poorest results obtained by OSFS by about 28%. It also outperforms SVM-RCE by 13%. It

Cancer Data Set Type	#Tumor	# Non-tumor
LiverGSE5364, GSE22058, GSE14520, GSE12941	132	132
PancreaticGSE15471, GSE16515, GSE22780	63	63
Lung GSE5364, GSE19804, GSE22058, GSE10072, GSE7670, GSE2514	249	249
Colon GSE5364, GSE8671, GSE25070, GSE21510, GSE23878, GSE18105	70	70
Gastric GSE13911, GSE13195, GSE5081, GSE19826	93	93
Breast GSE5364, GSE15852, GSE10810, GSE16873, GSE5764, GSE14548	113	113
Thyroid GSE5364, GSE3678	23	23
Prostate GSE6919, GSE6956, GSE17951	88	88

Table 1: mRNA microarray datasets from GEO genomics data repository with the number of samples and GEO ID for each data set. The number of tumor samples and non-tumor are present and they are equal.



should be noted that SVM-RCE-EC achieved high performance with the difficult Prostate data set, where most of the other methods failed and it outperformed SMK-FS on this data set by 12%. SVM-RCE-EC performance with the Gastric dataset reached 88% while most of the other methods performed poorly.

Figure 2 presents the results of all the methods applied on mRNA sequencing data. The SVM-RCE-EC performance compared to SMKL-FS is higher on average by about 2% and compared to SVM-RCE by about 3%. While these differences are small, even small improvements in accuracy can have meaningful clinical implications. SVM-RCE-EC performance is higher by 12% compared to OSF and SlimPLS, the lowest performing methods. Overall, most of the methods perform well with the data used for Figure 2 indicating that most of those data are not difficult to separate.

Figure 3 presents the results from the analyses of microRNA gene expression. In this dataset, we find similar performance on average between SVM-RCE and SMKL-FS. It should be noted that SVM-RCE-EC performs better than all other methods on the STAD and LIHC data, SMKL-FS slightly outperformed SVM-RCE-EC on the first four cancer types listed. On the STAD data, SMKL-FS achieved an accuracy of 0.880, while SVM-RCE-EC achieved an accuracy of 0.93-an improvement of 5%.

We also show that the accuracy of both SVM-RCE and SVM-RCE-EC improves as the number of cluster/genes is decreased (Figure 4).




Figure 2: The average of the last 10 levels (mean effectiveness) applied on mRNA sequencing. The first 8 columns results are copied from Ding and Pang's experiment [16]. SVM-RCE-EC includes a standard deviation bar to indicate the deviation of the results per iteration.




Figure 3: The average of the last 10 levels (mean effectiveness) applied on miRNA sequencing. The first 8 columns results are copied from Ding and Pang's experiment [16]. SVM-RCE-EC includes a standard deviation bar to indicate the deviation of the results per iteration.




Figure 4: (a) The performance of SVM-RCE on the lung dataset over different level of clusters/genes. (b) The performance of the SVM-RCE-EC on the lung dataset over different level of clusters/genes. The x-axis is the cluster/genes levels while the y-axis s is the accuracy (ACC) values.



This is an indication that the selection of the optimal number of gene clusters needed for the best possible solution is progressing as less informative clusters are removed. It should be noted that while the decrease in the number of clusters in SVM-RCE is fixed as 10%, the clusters that are removed at each level in SVM-RCE-EC is not fixed but is determined by the ensemble procedure.

Looking inside the gene clusters

Figure 5 is a heatmap showing the expression patterns of the significant genes identified by SVM-RCE-EC and SVM-RCE. There are 27 genes in common between the top 50 significant genes selected by both SVM-RCE and SVM-RCE-EC. This is perhaps not expected given the similar performances in approximately 1/2 of the data sets that are analyzed. There are however, some differences in the 2 gene sets that are worth noting. The most significantly changed genes in both data sets are the genes under expressed in liver cancers. While 11 out of 50 gene are under expressed among the 50 SVM-RCE (-5.7 to -23.6 fold) genes only 5 of them are included in the top 50 SVM-RCE-EC genes (-6.6 to -23.2 fold). All 5 genes products are found in the extra-cellular space with one of the 5, MTH1 also being nuclear. By contrast the most highly up regulated of the SVM-RCE gene is SQLE (3.9 fold in cancer) which is also in the SVM-RCE-EC list while RRM2 (6.5 fold) is only in the SVM-RCE-EC list. In addition, 23 of the 50 SVM-RCE-EC have nuclear localizations, with overlapping regulatory functions associated with transcription and maintenance of chromatin structure, compared to just 12 for the SVM-RCE list. The SVM-RCE-EC genes overall have more robust differences in expression between cancers and controls. Shown in the additional file top 50 GenesLiver.xls.

Evaluation

The process for evaluating the over-all performance of SVM-RCE-EC is described in the Materials and Methods and illustrated in Figures 6-8. Briefly, we used 10-fold cross validation (9 fold for training and 1 fold for testing). After each round of feature selection or cluster reduction, the accuracy was calculated on the independent hold-out test



Algorithm SVM-RCE-EC (input data D)

X = the training dataset

s = genes list (all the genes) or top n_g genes by t-test

n = infinity number

m = final number of clusters

d = the reduction parameter

While ($n \geq m$) do

1. n = Cluster the given genes S into clusters S_1, S_2, \dots, S_n using Ensemble Clustering (**EC Clustering step**)
2. For each cluster $i=1..n$ calculate its $Score(X(s_i), f, r)$ (**SVM scoring step**)
3. Remove the $d\%$ clusters with lowest score (**RCE step**)
4. Merge surviving genes again into one pool S

Figure 7: The pseudo code of the SVM-RCE-EC Algorithm.




Figure 8: The description of the SVM-RCE-EC algorithm. A flowchart of the SVM-RCE-EC algorithm consists of main three steps: the EC-Cluster step for clustering the genes based on ensemble clustering, the Rank step for assessment of significant clusters and the RCE step to remove clusters with low rank.

set (Figure 8). The classifier performance was calculated with sensitivity (SE) and specificity (SP) and accuracy (ACC) statistics as follows:

TP=Number of true positives examples.

FP=Number of false positives examples.

TN=Number of true negatives examples.

FN=Number of false negative examples.

$SE = TP / (TP + FN)$, $SP = TN / (TN + FP)$, $ACC = (TP + TN) / (TP + TN + FP + FN)$

SVM-RCE-EC produces a series of feature subsets and the algorithm evaluates each subset the SE, SP and ACC. To have a general evaluation of performance we consider the mean effectiveness measurement which is the average of last k subset accuracies [12]. We have chosen k to be 10 folds suggested in Du et al. experiment [12].

Conclusion

This study presents an improved method of SVM-RCE called SVM-RCE-EC for classification of gene expression datasets by selecting significant clusters of genes based on the ensemble clustering approach. SVM-RCE-EC demonstrated improved classification accuracy compared to other methods tested (SVM-RFE [15], SVM-RCE [4], mRMR [16], IMRelief [17], SlimPLS [18] and SMKL-FS [12]) reported by the study of Du et al. [12] and this was particularly true for data sets where the 2 classes were difficult to separate and where other methods either failed or had low performance.

SVM-RCE-EC is a search method that queries a space that consists of gene clusters rather than individual genes in order to identify those clusters of potentially interacting genes that contribute most to the differences in phenotypes to return improved classification performance in distinguishing 2 different sample classes. We find that the ensemble approach, which measures the frequency of which genes group together in order to identify the most significant clusters, provided more robust, informative clusters compared to several other methods used alone or even by combining methods.

Embedding the ensemble clustering approach within the original SVM-RCE has allowed us to solve the problem of how to determine the appropriate numbers of clusters that will be retained/eliminated with each iteration, rather than leaving the decision of how many clusters are retained/eliminated to the user. The cluster size is determined arbitrarily at the onset of the analysis by the investigator and, as the algorithm proceeds, the least informative clusters are progressively removed. Moreover, SVM-RCE-EC does not produce redundant clusters, as is sometimes the case for SVM-RCE. In summary SVM-RCE-EC using the ensemble cluster approach appears to be a promising method particularly when dealing with data from very similar sample classes that are difficult to separate. In the current version of SVM-RCE-EC, the hamming distance was used to group the genes together, although it is possible to apply different measurements and explore their influence on the classification performance.

Methods

SVM-RCE-EC uses an ensemble clustering method, to identify robust gene clusters, and Support Vector Machines (SVMs) [19], to score (rank) those gene clusters for accuracy of classification. SVM-RCE-EC is using ensemble clustering to group genes into clusters. After scoring of the clusters by SVM, the clusters with lower scores removed. The remaining considerable are then moved to the next ranking step.

Ensemble clustering

The previous method uses the k-means clustering algorithm for the initial gene grouping. We found that genes belonging to the same cluster usually share some common traits even though their geometric distance might be large. Since the clustering results of the k-means clustering algorithm are affected by the initial centroids that were selected randomly, we explored the effects of running the k-means several times with different k values. This problem of combining multiple clustering of a set of objects without accessing the original features is called cluster ensemble. Abd-Allah and Shimshoni [10] developed a new method that combines several clustering results in a matrix, called clustering matrix, and define a distance function between the objects based on this matrix and then tested it using the nearest neighbor classifier. Other empirical ensemble clustering methods were also described in [6,7,20]. The following example illustrates this situation (Figure 6). Considering the dataset in Figure 6a the number of clusters is unknown, the clusters are not elliptical and the number of points within each cluster is unbalanced. Therefore, running k-means with fixed k is not a good idea and in high probability, we will get poor clusters. Therefore, if we run the k-means clustering algorithm different values of the parameter k we might cover all the cases. In the following example we decided to run k=2, 3, 4, 5 as described in Figures 6b-6e. Figure 6f describes the shared points that belong together in all the iterations.

The SVM-RCE-EC methods

The algorithm of SVM-RCE-EC is described at Figures 7 and 8 where D is the data with s the genes. The training set is X that consists of l samples. The Score (X(s), f, r) function is the average accuracy for f-folds cross validation of the linear SVM [19], repeated r times (default values to 3 and r to 5). We apply Score (X(s), f, r) on each clusters of genes as the Score S_1, S_2, \dots, S_n as the Score (X(S_i), f, r).

The central algorithm of SVM-RCE-EC is based on the SVM-RCE algorithm [4]. However, SVM-RCE-EC differs from SVM-RCE in two main aspects. The first one is the method for grouping the genes and second is the number of clusters in each iteration. In SVM-RCE, one can control the number of clusters at each iteration. In SVM-RCE-EC the number of clusters is determined by the method itself and that number does not necessarily diminish at different (iterations) levels as demonstrated in Figure 7, step (1) where n is determined by the method whereas in the SVM-RCE n is defined by the user.

We have considered the k-means [21] clustering method as the clustering step with SVM-RCE and SVM-RCE-EC.

Declarations

Ethics approval and consent to participate

Not applicable.

Consent for publication

Not applicable.

Availability of supporting data

Results_SVN-RCE-EC vs others.xls: The results in numeric numbers of Figures 1-3.

Finalaccuracy_micro_miRNA_Sequencing.xls: The results for SVM-RCE-EC applied on micro miRNA sequencing datasets.

Finalaccuracy_micro_mRNA_microarray.xls: The results for SVM-RCE-EC applied on micro mRNA microarray datasets.

Finalaccurecy_micro_mRNA_Sequencing.xls: The results for SVM-RCE-EC applied on micro miRNA mRNA sequencing datasets.

Top 50 GenesLiver.xls: The top 50 significant genes of SVM-RCE and SVM-RCE-EC on the liver microarray dataset.

Competing interests

The authors declare that they have no competing interests.

Funding

The work was supported by Yezreel Valley College to LA. NCI U01 CA200495-02 to LCS and Zefat Academic College for MY.

Authors' Contributions

LA and MY were responsible for design of the new algorithm and the analysis and the draft of the manuscript. WK carried out the data analysis and the revision of the manuscript. LS carried out the revisions of the manuscript. All authors read and approved the final manuscript.

References

1. Pan W (2002) A comparative review of statistical methods for discovering differentially expressed genes in replicated microarray experiments. *Bioinformatics* 18: 546-554.
2. Lazar C, Taminau J, Meganck S, Steenhoff D, Coletta A, et al. (2012) A survey on filter techniques for feature selection in gene expression microarray analysis. *IEEE/ACM Trans Comput Biol Bioinform* 9: 1106-1119.
3. Inza I, Larranaga P, Blanco R, Cerrolaza AJ (2004) Filter versus wrapper gene selection approaches in DNA microarray domains. *Artif Intell Med* 31: 91-103.
4. Yousef M, Jung S, Showe LC, Showe MK, (2007) Recursive Cluster Elimination (RCE) for classification and feature selection from gene expression data. *BMC Bioinformatics* 8: 144.
5. Yousef M, Ketany M, Manevitz L, Showe LC, Showe MK, et al. (2009) Classification and biomarker identification using gene network modules and support vector machines. *BMC Bioinformatics* 10: 337.
6. Topchy A, Jain AK, Punch W (2003) Combining multiple weak clusterings. *Third IEEE International Conference on Data Mining*.
7. Strehl A, Ghosh J (2002) Cluster ensembles—a knowledge reuse framework for combining multiple partitions. *J Mach Learn Res* 3: 583-617.
8. Derbeko P, El-Yaniv R, Meir R (2004) Explicit learning curves for transduction and application to clustering and compression algorithms. *J Artif Intell Res* 22: 117-142.
9. Abd-Allah L, Shimshoni I (2012) Nearest Neighbor Using Ensemble Clustering. In *Data Warehousing and Knowledge Discovery: 14th International Conference, DaWaK 2012, Vienna, Austria* pp: 265-278.
10. Abd-Allah L, Shimshoni I (2013) An ensemble-clustering-based distance metric and its applications. *Int J Bus Intell Data Min* 8: 264-287.
11. Yousef M, Khalifa W, AbedAllah L (2016) Ensemble Clustering Classification compete SVM and One-Class classifiers applied on plant microRNAs Data. *J Integr Bioinform* 13: 304.
12. Du W, Cao Z, Song T, Li Y, Liang Y, et al. (2017) A feature selection method based on multiple kernel learning with expression profiles of different types. *BioData Min* 10: 4.
13. Barrett T, Wilhite SE, Ledoux P, Evangelista C, Kim IF, et al. (2013) NCBI GEO: archive for functional genomics data sets—update. *Nucleic Acids Res* 41: 991-995.
14. Weinstein JN, Collisson EA, Mills GB, Shaw KR, Ozenberger BA, et al. (2013) The Cancer Genome Atlas Pan-Cancer analysis project. *Nat Genet* 45: 1113-1120.
15. Guyon I, Weston J, Barnhill S, Vapnik V (2002) Gene Selection for Cancer Classification using Support Vector Machines. *Mach Learn* 46: 389-422.
16. Ding C, Peng H (2005) Minimum redundancy feature selection from microarray gene expression data. *J Bioinforma Comput Biol* 3: 185-205.
17. Cai H, Ruan P, Ng M, Akutsu T (2014) Feature weight estimation for gene selection: a local hyperlinear learning approach. *BMC Bioinformatics* 15.
18. Gutkin M, Shamir R, Dror G (2009) SlimPLS: a method for feature selection in gene expression-based disease classification. *PLoS One* 4.
19. Vapnik VN (1995) *The nature of statistical learning theory*. Springer-Verlag, NY, USA.
20. Topchy A, Jain AK, Punch W (2005) Clustering ensembles: Models of consensus and weak partitions. *IEEE Trans Pattern Anal Mach Intell* 27: 1866-1881.
21. MacQueen JB (1967) Some methods for classification and analysis of multivariate observations. In *Proceedings of 5th Berkeley Symposium on Mathematical Statistics and Probability* 1: 281-297.

Citation: AbdAllah L, Khalifa W, Showe LC, Yousef M (2017) Selection of Significant Clusters of Genes based on Ensemble Clustering and Recursive Cluster Elimination (RCE). *J Proteomics Bioinform* 10: 186-192. doi: [10.4172/jpb.1000439](https://doi.org/10.4172/jpb.1000439)