

## *Sinorhizobium meliloti* Bacteria Contributing to Rehabilitate the Toxic Environment

Ashish Chauhan\*


National Institute of Pharmaceutical Education and Research, Mohali, Punjab, India

### Abstract

Nitrogen fixing microorganisms play a vital role in the rejuvenating the environment. A *Sinorhizobium meliloti* bacterium is one such microbe and has immense potential to rehabilitate the toxic environment that lies unexplored. The review highlights some of its uses in agriculture and environment.

### Introduction

Production of nitrogenous fertilizers has stagnated in recent years because of high costs and pollution. Estimated 90% of applied fertilizers never reach roots and contaminate groundwater. Hence, the importance of nitrogen fixing organisms has emerged as key issue. The nitrogen fixation by organisms occurs by a symbiotic relationship, association or free living organisms (Figures 1-3) that plays an important role in maintaining the nitrogen cycle in the environment. The biological fixation in brief that could be depicted as follows:



### Nitrogenase




It is a rare, extremely energy consuming conversion because of stability of triply bonded  $N_2$ . The fixed Nitrogen which can be directly assimilated into Nitrogen containing bio-molecules. Some of the host plant and bacterial symbiont are shown in the Table 1.




The nitrogen can be fixed by non-symbiotic nitrogen fixation by Cyano bacteria *Anabaena nostoc*. It can be fixed by terrestrial and rhizosphere associated microorganisms like *Azospirillum*, *Azotobacter*, *Acetobacter*, *Klebsiella* and *Clostridium* [1,2].

### *Sinorhizobium meliloti* and its uses to the environment

Kingdom: Bacteria Phylum: Proteobacteria Class: Alpha Proteobacteria Order: Rhizobiales Family: Rhizobiaceae Genus: *Sinorhizobium* Species: *S.meliloti*

*Sinorhizobium meliloti* is a soil bacterium of Rhizobiales group of the Alpha proteobacteria sub-division. *S. meliloti* forms nitrogen-fixing



System of $N_2$ fixation (and microbes involved) ( $N_2 \rightarrow NH_3$ )	SYMBIOSIS (e.g. <i>Rhizobium</i> )	ASSOCIATION (e.g. <i>Azospirillum</i> )	FREE-LIVING (e.g. <i>Rhodospirillum</i> )
			
Energy source (Organic C)	Sucrose from the host plant	Root exudates from the host plant	Heterotroph (plant residues)   Autotroph (photosynthesis)
Estimates of fixation rate (kg N/ha/y)	50-400	10-200	1-2   10-80

**Figure 3:** The various types of nitrogen fixation.

nodules on the roots of leguminous plants of the genera *Medicago*, *Melilotus* and *Trigonella* and it is the best studied model system for the rhizobium legume symbiosis. *S. meliloti* is distributed all over the world and is present in many soil types, both in association with legumes and in free-living form. The occurrence of this species reveals a wide metabolic capability that allows its adaptation to very different environmental

\*Corresponding author: Ashish Chauhan, National Institute of Pharmaceutical Education and Research, Mohali, Punjab, India, Tel: +91-9464616773; E-mail: aashishchauhan26@gmail.com

Received February 15, 2015; Accepted February 24, 2015; Published February 27, 2015

Citation: Chauhan A (2015) *Sinorhizobium meliloti* Bacteria Contributing to Rehabilitate the Toxic Environment. J Bioremed Biodeg 6: e164. doi:10.4172/2155-6199.1000e164

Copyright: © 2015 Chauhan A. This is an open access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Host plant	Bacterial symbiont
Alfalfa	<i>Rhizobium meliloti</i>
Clover	<i>Rhizobium trifolii</i>
Soybean	<i>Bradyrhizobium japonicum</i>
Beans	<i>Rhizobium phaseoli</i>
Pea	<i>Rhizobium leguminosarum</i>
Sesbania	<i>Azorhizobium caulinodans</i>

**Table 1:** Some of the host plant and their bacterial symbiont that fixes the nitrogen.

and nutritional conditions. *S. meliloti* has been the subject of extensive genetic, biochemical and metabolic research. The sequencing of the strain Rm1021 genome provided a solid foundation for a number of molecular studies of the genetic basis of plant-bacterium interactions and of the response of *S. meliloti* to environmental stimuli. Strains of *S. meliloti*, as for other rhizobial species, are known to show different nodulation capabilities and phenotypic characteristics, such as salt and stress tolerance and exo-polysaccharide production. Despite the large number of genetic and molecular biology studies of the sequenced Rm1021 strain and its natural populations, little is known about the overall extent of metabolic diversity of Rm1021 and environmental strains. Consequently, clear evidence on possible functional and metabolic roles of the observed genomic polymorphism is still lacking. In past years, more attention has been focused on that part of bacterial genetic variation which is directly related to the phenotype.

*Sinorhizobium meliloti* cells serve a significant role in the survival of many plant species and they also largely contribute to the environment. The atmosphere is composed of approximately 85% nitrogen and it is an essential element to most living organisms and their metabolic activities. But, nitrogen exists in the atmosphere as dinitrogen ( $N_2$ ) that is unusable by most plants and animals. *S. meliloti* cells in the environment form symbiotic relationships with leguminous plants and convert  $N_2$  into organic nitrogen. *S. meliloti* also serves as denitrifying agent that reduces nitrate and nitrite into free  $N_2$  in the environment (Figure 2). *S. meliloti* is unique and one of the first organisms to have a cluster of all four nitrogen oxide reductases (nap, nir, nor, nos) on the same chromosome. Denitrification can have hazardous effects such as a loss of biologically useful nitrogen, a buildup of  $N_2O$  as a byproduct which contributes to acidic rain and a depletion of the ozone layer. However, denitrification conducted by *S. meliloti* cells can have positive effects as well if it is harnessed properly. For example, the  $N_2O$  produced by denitrification can serve as a green-house gas that traps heat. The microbial denitrification can contribute significantly to the purification of waste water. Nitrogen-rich fertilizers have contributed to the pollution of ground water. This water is potentially hazardous to pregnant women and infants and thus scientists are considering using microbial denitrification in water treatment facilities to remove excess  $NO_3^-$ . A bacterium isolated from soil (designated 9702-M4) synthesizes an extracellular polymer that facilitates the transport of such hydrophobic pollutants as polynuclear aromatic hydrocarbons, as well as the toxic metals lead and cadmium in soil [3-9]. This property of the organism if expedited can play a crucial role to purify the toxic soil and inhibit the health hazards.

**Citation:** Chauhan A (2015) *Sinorhizobium meliloti* Bacteria Contributing to Rehabilitate the Toxic Environment. J Bioremed Biodeg 6: e164. doi:10.4172/2155-6199.1000e164

## Conclusions

*S. meliloti* has huge potential to reduce the toxicity from the environment so; there is need of enhancing the survival of nodule forming bacterium by improving competitiveness of inoculant strains there is need to extend host range of crops that can benefit from biological nitrogen fixation. We should engineer microbes with high nitrogen fixing capacity for a healthy environment.

## References

1. Ba S, Willems A, de Lajudie P, Roche P, Jeder H, et al. (2002) Symbiotic and taxonomic diversity of rhizobia isolated from *Acacia tortilis* subsp. *raddiana* in Africa. *Syst Appl Microbiol* 25: 130-145.
2. Rogel MA, Ormeño-Orrillo E, Martínez Romero E (2011) Symbiovars in rhizobia reflect bacterial adaptation to legumes. *Syst Appl Microbiol* 34: 96-104.
3. Schneiker-Bekel S, Wibberg D, Bekel T, Blom J, Linke B, et al. (2011) The complete genome sequence of the dominant *Sinorhizobium meliloti* field isolate SM11 extends the *S. meliloti* pan-genome. *J Biotechnol* 155: 20-33.
4. Sharma RS, Mishra V, Mohammed A, Babu CR (2008) Phage specificity and lipopolysaccharides of stem- and root-nodulating bacteria (*Azorhizobium caulinodans*, *Sinorhizobium* spp., and *Rhizobium* spp.) of *Sesbania* spp. *Arch Microbiol* 189: 411-418.
5. Kowalski M (2004) The effect of rhizobiophages on *Sinorhizobium meliloti*-*Medicago sativa* symbiosis. *Biology and Fertility of Soils*, 39: 292-294.
6. Mnasri B, Mrabet M, Laguerre G, Aouani ME, Mhamdi R (2007) Salt-tolerant rhizobia isolated from a Tunisian oasis that are highly effective for symbiotic  $N_2$ -fixation with *Phaseolus vulgaris* constitute a novel biovar (bv. *mediterraneus*) of *Sinorhizobium meliloti*. *Arch Microbiol* 187: 79-85.
7. Villegas Mdel C, Rome S, Mauré L, Domergue O, Gardan L, et al. (2006) Nitrogen-fixing *sinorhizobia* with *Medicago laciniata* constitute a novel biovar (bv. *medicaginis*) of *S. meliloti*. *Syst Appl Microbiol* 29: 526-538.
8. Gubry-Rangin C, Béna G, Cleyet-Marel JC, Brunel B (2013) Definition and evolution of a new symbiovar, sv. *rigiduloides*, among *Ensifer meliloti* efficiently nodulating *Medicago* species. *Syst Appl Microbiol* 36: 490-496.
9. Janecka J, Jenkins MB, Brackett NS, Lion LW, Ghiorse WC (2002) Characterization of a *Sinorhizobium* isolate and its extracellular polymer implicated in pollutant transport in soil. *Appl Environ Microbiol* 68: 423-426.

### Submit your next manuscript and get advantages of OMICS Group submissions

#### Unique features:

- User friendly/feasible website-translation of your paper to 50 world's leading languages
- Audio Version of published paper
- Digital articles to share and explore

#### Special features:

- 400 Open Access Journals
- 30,000 editorial team
- 21 days rapid review process
- Quality and quick editorial, review and publication processing
- Indexing at PubMed (partial), Scopus, EBSCO, Index Copernicus and Google Scholar etc
- Sharing Option: Social Networking Enabled
- Authors, Reviewers and Editors rewarded with online Scientific Credits
- Better discount for your subsequent articles

Submit your manuscript at: <http://www.omicsonline.org/submission>