

4 V D D F T T G V M 5 S F B U N F O U P G / B T B M 0 T U F P T B S I
1 S F E O J T P M P O F & ¶ " \$ B T F 3 F Q P S U

Umakanthan T ^{1*}, Madhu Mathi P ² and Umadevi U ³

¹Veterinary Hospital, Sattur, Tamil Nadu 626203, India

²ACIS – A Company of Allianz, Thiruvananthapuram, Kerala 695 581, India

³Department of Botany and Plant Biotechnology, SFR College for Women, Sivakasi, Tamil Nadu 626203, India

Abstract

An eight year old domestic female cat presented with history of inappetance and epistaxis, and was treated since 6 months with hemostatics suspecting trauma, with relapsing episode. X ray revealed shortened, incognito nasal bone on left lateral view. Tentatively suspecting nasal osteosarcoma, the animal was orally given. Lomustine 2.5 mg once in 3 days and Prednisolone 5 mg daily for 21 days. Remarkable and complete recovery observed on 9th and 21st day respectively. No adverse effect noticed.

Keywords: Cat; Osteosarcoma; Lomustine; Prednisolone

Introduction

Osteosarcoma is the most common primary bone tumour in cats. The bones affected most frequently are skull, vertebrae, scapula and pelvis. Osteosarcoma of nasal bone in a cat was diagnosed and successfully treated.

Materials and Methods

A non-descript, domestic female gravid cat, 8 years old presented with symptoms of inappetance and frequent epistaxis. It was suspected to be due to trauma and the cat had local treatment since 6 months with relapsing episodes. Clinical examination revealed pain in the nasal region. As the time advanced the cat reduced the food intake and became dull and depressed.

Radiography revealed shortened, incognito nasal bone on left lateral side (Figures 1 and 2). Tentatively diagnosed as nasal osteosarcoma.

Treatment and Results

The cat was orally treated with Lomustine (Moostin–Miracalus Pharma) 2.5 mg once in 3 days and Prednisolone (Wysolone–Wyeth Pharma) 5 mg daily, for 21 days.

Gradually epistaxis reduced, showed increased appetite and remarkable recovery noticed on 9th day onward. Complete recovery on 21st day. No adverse effect noticed, except mild cellulitis in frontal region which subsided within 10 days of cessation of treatment. Also the cat queened healthy kittens normally on 14th day of treatment commencement.

Discussion

Osteosarcoma is the most frequently reported (70–80%) primary bone tumor in cats, accounting for 70–80% of all primary malignant cancer of cats [1,2]. Osteosarcoma was reported to occur in older cats with a mean age of approximately 10 years and in aged, female domestic short hair cats [3,4]. Symptoms are epistaxis (40–94%), bilateral or unilateral nasal discharge, air flow obstruction, facial deformity and sneezing, while weight loss is less common [5].

The radiographical features are variable and there may be predominantly osteolysis, characterised by radiolucency of the bone with thinning and loss of the cortices [4].

In general, osteosarcomas metastasise slowly in cats and treatment by surgical excision has been apparently successful [4]. The type and duration of chemotherapy can have a bearing on the survival post-surgery, although the differences between published protocols are not great [6]. The animals are most likely to be euthanized due to inability to achieve good palliative care and pain control.

In this study, Lomustine and Prednisolone oral therapy is followed. The use of Lomustine and Prednisolone is also reported for mast cell tumor in dog [7]. Lomustine is an alkylating nitrosourea compound used in chemotherapy and one of the most commonly used agents in veterinary medicine [8,9]. It is used to treat some types of cancer [10, 11]. It disrupts the growth of cancer cells, which are then destroyed [12]. It is a highly lipid soluble, non-ionized drug that rapidly crosses the blood-brain barrier, available only in oral dosage form [13,14]. Lomustine is a less toxic drug and has been used with some success in feline lymphoma [15,16].

Oral daily Prednisolone therapy has a long term success rate of about 25%, and oral Prednisolone and Lomustine therapy has a slightly higher success rate (40%) [17]. The administration of prednisolone resulted in a reliable decrease in the number of osteosarcomas [18]. Prednisolone is used as a part of chemotherapy treatment; it is known to have anti-inflammatory action which allows tumour shrinkage by virtue of removal of the inflammatory component of the tumour [19]. Lomustine usual recommendation dose is 2.5 mg once in 6 weeks but we followed 2.5 mg once in 3 days found to be highly effective, safe, with mild adverse effect and may be safe during pregnancy [20].

Summary

Nasal osteosarcoma in a cat successfully treated with oral Lomustine and Prednisolone, with pregnancy safe and without any adverse effects.

*Corresponding author: Umakanthan T, Veterinary Surgeon, Veterinary Hospital, Sattur, Virudhunagar District, Tamil Nadu 626203, India, Tel: +04562 220 389; e-mail: sciencepot1614@gmail.com

Received November 15, 2016; Accepted December 19, 2016; Published January 2017

Citation: Umakanthan T, Madhu Mathi P, Umadevi U (2017) Successful Treatment of Nasal Osteosarcoma in a Cat with Lomustine and Prednisolone – A Case Report. J Anim Health Behav Sci 1: 102.

Copyright: © 2017 Umakanthan T, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.




Figure 1: X-ray left lateral view.




Figure 2: Nasal osteosarcoma—shortened, incognito nasal bone.

Acknowledgement

We, the authors, thankfully acknowledge the support Dr. Venkateshwaralu, Madurai digital x-ray, Dindigul and animal owner.

References

1. Schaer M, Gaschen FP (2016) Clinical Medicine of the Dog and Cat (3rd edn.) CRC Press, LLC, USA, p: 658.
2. Withrow SJ, Page R, Vail DM (2013) Withrow and MacEwen's Small Animal Clinical Oncology (5th edn.) Elsevier Saunders, Missouri, USA, p: 494.
3. Slatter DH (2003) Textbook of Small Animal Surgery (3rd edn.) Elsevier Science, USA, p: 2472.
4. Chandler EA, Gaskell RM, Gaskell CJ (2004) Feline Medicine and Therapeutics (3rd edn.) Blackwell Publishing, USA, p: 204.
5. Morrison WB (2002) Cancer in Dogs and Cats: Medical and Surgical Management (2nd edn.) Teton New Media, WY, USA, p: 498.
6. Argyle DJ, Brearley MJ, Turek MM (eds.) (2008) Decision Making in Small Animal Oncology. Wiley Blackwell, USA, p: 346.
7. Villalobos A, Kaplan L (2007) Canine and Feline Geriatric Oncology: Honoring the Human-Animal Bond. Blackwell publishing, USA, p: 164.
8. Karch M (2016) Focus on Nursing Pharmacology (6th edn.) Philadelphia: Lippincott Williams & Wilkins.
9. Tobias KM, Johnston SA (2012) Veterinary Surgery: Small Animal. Elsevier Saunders, Missouri, p: 322.
10. Wilkes GM, Ades TB (2004) Patient Education Guide to Oncology Drugs. (2nd edn.), Jones & Bartlett Learning, Massachusetts, p: 148.
11. United States Pharmacopeial Convention (1993) The Complete Drug Reference: United States Pharmacopeia, Consumer Reports Books, p: 836.
12. Wilkes GM, Ades TB, Krakoff IH (2000) Consumers guide to cancer drugs. Jones and Bartlett Publishers, USA, p: 112.
13. Price P, Sikora K (eds.) (2015) Treatment of Cancer (6th edn.) CRC Press, FL, USA, p: 15.
14. Bardal SK, Waechter JE, Martin DS (2011) Applied Pharmacology. Elsevier Saunders, Missouri, USA, p: 306.
15. Satoskar RS, Bhandarkar SD, Rege NN (2009) Pharmacology and Pharmacotherapeutics (21st edn.) Popular Prakashan, Mumbai, India, p: 813.
16. Riviere JE, Papich MG (2009) Veterinary Pharmacology and Therapeutics (9th edn.) Wiley Blackwell, USA, p: 1214.
17. Freeman KP (2007) Veterinary Cytology: Dog, Cat, Horse and Cow: Self-Assessment Color Review. Manson publishing, CRC press, FL, USA, p: 94.
18. Moskalev I (1972) Remote aftereffects of radiation damage, p: 419.
19. Straw D (2005) The Healthy Pet Manual: A Guide to the Prevention and Treatment of Cancer. Healing Arts Press, Vermont, USA, p: 135.
20. Moore AS, Frimberger AE (eds.) (2010) Oncology for Veterinary Technicians and Nurses, Wiley Blackwell, USA, p: 302.

Citation: Umakanthan T, Madhu Mathi P, Umadevi U (2017) Successful Treatment of Nasal Osteosarcoma in a Cat with Lomustine and Prednisolone – A Case Report. J Anim Health Behav Sci 1: 102.

OMICS International: Open Access Publication Benefits & Features

Unique features:

- Increased global visibility of articles through worldwide distribution and indexing
- Showcasing recent research output in a timely and updated manner
- Special issues on the current trends of scientific research

Special features:

- 700+ Open Access Journals
- 50,000+ Editorial team
- Rapid review process
- Quality and quick editorial, review and publication processing
- Indexing at major indexing services
- Sharing Option: Social Networking Enabled
- Authors, Reviewers and Editors rewarded with online Scientific Credits
- Better discount for your subsequent articles

Submit your manuscript at: <http://www.omicsonline.org/submission>