

The use of Carbon Nanotubes in Medical Applications - Is It a Success Story?

Geoffrey S Simate¹ and Clarence S Yah^{2,3*}

¹School of Chemical and Metallurgical Engineering, University of the Witwatersrand, Johannesburg, South Africa

²Department of Epidemiology, Johns Hopkins Bloomberg School of Public Health (JHSPH), USA

³Human Sciences Research Council, South Africa

Since their rediscovery [1] by Iijima [2] carbon nanotubes (CNTs) have attracted a lot of interesting research due to their outstanding properties that have potential impact on broad areas of science and technology [3]. The name CNT originates from their nanometer-scale size. An ideal nanotube can be described as a network of carbon atoms assembled into a cylinder, which is covered at the end by half a fullerene molecule [4,5].

It's the small dimensions that make CNTs to hold a lot of potential for medical applications [6]. For instance, the potential of CNTs to carry drugs in the organism lies on the fact that they are hollow and much smaller than the blood cells [7]. Furthermore, CNTs can be easily modified with a wide variety of molecules through several procedures [6]. For example, proteins and other molecules can be incorporated onto CNT structures [8]. The practical uses of CNTs in biomedical and biotechnology include their use as channels for biosensors, delivery of drugs, and sheathe for enzymes and transfection of DNA. Actually, CNTs are poised to be the next generation of drug delivery systems for several reasons which include: water dissolvability, highly stable dispersion, absence or limited intrinsic immunogenicity and an effective loading capability [9]. For example, on the basis of their polymeric and cationic nature, soluble functionalized CNTs are able to go through a cell without changing its form and structure [9-11]. In fact, one of the main desirable features of the CNT is its ability to transport drugs right away to targeted cells and tissues [12]. Targeting drug delivery system improves the therapeutic efficacy and reduces the systemic toxicity. Applications of CNTs are also giving rise to the manufacturing of materials and pieces of equipment such as scaffolds for cell and tissue engineering, and sensors that can be used for observing and checking the progress of some aspects of human health [8]. In addition, CNT's have capacity to capture the pathogenic bacteria as CNTs themselves possess anti-microbial properties.

However, there are a number of challenges that need to be resolved before the potential of CNTs is fully realized for medicinal purposes [7]. One of the main drawbacks of CNTs is their hydrophobicity. Therefore, several researchers have developed a number of solubilization and dispersion methodologies. For example, in order to exploit their biomedical applications [13], CNTs have been chemically functionalized [14] or covered with amphiphilic molecules such as PEGylated phospholipids or polymers [15]. Secondly, their integration with biological systems needs a thorough assessment of safety, as well as comprehension of their marked effect on the surroundings [9,16]. In fact strong emphasis is given to the evaluation of their toxicity and biocompatibility before integrating them into biological substrates [9]. At present, only a limited number of studies with many open questions have been published. Currently, verification studies have shown that CNT can act as distribution systems for drugs, antigens, and genes into cells with slightest cell poisoning [13]. However, their exposure and uptake in biological systems and potential toxicity remain uncertain. The in-vitro and in vivo studies conducted so far are inconclusive because of the varied evidence established to cell lines. Nevertheless, CNTs particularly multi-walled CNT have shown that upon inhalation

by exposed workers, the elemental carbon mass concentration was estimated at an arithmetic mean of 10.6 $\mu\text{g}/\text{m}^3$ (geometric mean 4.21 $\mu\text{g}/\text{m}^3$) [17]. In all these studies, the difficulty that remains is due to the vast diverse surface and physiological properties of the CNTs, sizes, the various attached ligands, the bioaccumulation of the nanoparticles after cell delivery and the hypersensitivity reactions that may emerge during the course of action. However, the risks for health are possibly linked to the existence of metal components or catalyst used during their production [9]. Actually, free iron and nickel, as well as transition metal complexes, have been recognized as catalysts for free radical reactions that are precarious in living systems [9,18]. We, therefore, encourage further proper toxicological studies of CNTs and other nanoparticles to be determined before their bio-applications in diverse bio-systems.

References

1. Monthieux M, Kuznetsov VL (2006) Who should be given the credit for the discovery of carbon nanotubes? *Carbon* 44: 1621-1623.
2. Iijima S (1991) Helical microtubules of graphitic carbon. *Nature* 354: 56-58.
3. Donaldson K, Poland CA, Murphy FA, MacFarlane M, Chernova T, et al. (2013) Pulmonary toxicity of carbon nanotubes and asbestos - similarities and differences. *Adv Drug Deliv Rev* 65: 2078-2086.
4. Biró LP, Horváth, ZE, Szlamás L, Kertész K, Webér F, et al. (2003) Continuous carbon nanotube production in underwater AC electric arc. *Chemical Physics Letters* 372: 399-402.
5. Paradise M, Goswami T, (2007) Carbon nanotubes - Production and industrial applications. *Materials and Design* 28: 1477-1489.
6. Vardharajula S, Ali SZ, Tiwari PM, EroÄŸlu E, Vig K, et al. (2012) Functionalized carbon nanotubes: biomedical applications. *Int J Nanomedicine* 7: 5361-5374.
7. Harutyunyan, AR, Pradhan BK, Sumanasekera GU, Korobko, Yu E, et al. (2002) Carbon nanotubes for medical applications. *European Cells and Materials* 3: 84-87.
8. http://www.raeng.org.uk/news/publications/list/reports/nanoscience_nanotechnologies.pdf
9. Pastorin G, Kostarelos K, Prato M, Bianco A, (2005) Functionalized carbon nanotubes: Towards the delivery of therapeutic molecules. *Journal of Biomedical Nanotechnology* 1: 1-10.
10. Shi Kam NW, Jessop TC, Wender PA, Dai H (2004) Nanotube molecular transporters: internalization of carbon nanotube-protein conjugates into Mammalian cells. *J Am Chem Soc* 126: 6850-6851.

*Corresponding author: Clarence S Yah, Department of Epidemiology, Johns Hopkins Bloomberg School of Public Health (JHSPH), E7146, 615 N. Wolfe Street/ Baltimore, MD, USA, Tel: +27 76 300 4836; E-mail: cayah@jhspsh.edu

Received November 20, 2013; Accepted January 27, 2014; Published January 30, 2014

Citation: Simate GS, Yah CS (2014) The use of Carbon Nanotubes in Medical Applications - Is It a Success Story? *Occup Med Health Aff* 2: 147. doi:10.4172/2329-6879.1000147

Copyright: © 2014 Simate GS, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

11. Pantarotto D, Briand JP, Prato M, Bianco A (2004) Translocation of bioactive peptides across cell membranes by carbon nanotubes. *Chem Commun (Camb)* : 16-17.
12. Madani SY, Naderi N, Dissanayake O, Tan A, Seifalian AM (2011) A new era of cancer treatment: carbon nanotubes as drug delivery tools. *Int J Nanomedicine* 6: 2963-2979.
13. Al-Jamal KT, Kostarelos K, (2011) Imaging carbon nanotubes in vivo: A vignette of imaging modalities at the nanoscale. In: Goins B, Phillips W. (Eds), *Nanoimaging*. Pan Stanford Publishing Pte. Ltd, Singapore.
14. Bianco A, Kostarelos K, Partidos CD, Prato M (2005) Biomedical applications of functionalised carbon nanotubes. *Chem Commun (Camb)* : 571-577.
15. Kam NW, Liu Z, Dai H (2005) Functionalization of carbon nanotubes via cleavable disulfide bonds for efficient intracellular delivery of siRNA and potent gene silencing. *J Am Chem Soc* 127: 12492-12493.
16. Colvin VL (2003) The potential environmental impact of engineered nanomaterials. *Nat Biotechnol* 21: 1166-1170.
17. Erdely A, Dahm M, Chen BT, Zeidler-Erdely PC, Fernback JE, et al. (2013) Carbon nanotube dosimetry: from workplace exposure assessment to inhalation toxicology. *Part Fibre Toxicol* 10: 53.
18. Galano A (2010) Carbon nanotubes: promising agents against free radicals. *Nanoscale* 2: 373-380.

Citation: Simate GS, Yah CS (2014) The use of Carbon Nanotubes in Medical Applications - Is It a Success Story? *Occup Med Health Aff* 2: 147. doi:[10.4172/2329-6879.1000147](https://doi.org/10.4172/2329-6879.1000147)

Submit your next manuscript and get advantages of OMICS Group submissions

Unique features:

- User friendly/feasible website-translation of your paper to 50 world's leading languages
- Audio Version of published paper
- Digital articles to share and explore

Special features:

- 300 Open Access Journals
- 25,000 editorial team
- 21 days rapid review process
- Quality and quick editorial, review and publication processing
- Indexing at PubMed (partial), Scopus, EBSCO, Index Copernicus and Google Scholar etc
- Sharing Option: Social Networking Enabled
- Authors, Reviewers and Editors rewarded with online Scientific Credits
- Better discount for your subsequent articles

Submit your manuscript at: www.omicsonline.org/submission/