

Smoking Cessation and Counseling: A Mixed Methods Study of Pediatricians and Parents

Simoneau T¹, Hollenbach JP¹, Langton CR¹, Kuo CL² and Cloutier MM¹

¹Department of Pediatrics, University of Connecticut, Connecticut Children's Medical Center, Washington, USA

²Institute for Clinical and Translational Science, University of Connecticut, Farmington, USA

*Corresponding author: Simoneau T, Department of Pediatrics, University of Connecticut, Connecticut Children's Medical Center, Washington St. Hartford, USA, Tel: 860-545-9440, Fax: 860-545-9445, Email: tsimoneau@connecticutchildrens.org

Copyright: © 2017 Simoneau T, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Received Jun 12, 2019; **Accepted** Jun 24, 2019; **Published** Jun 30, 2019

Retraction Note

The article entitled "Smoking Cessation and Counseling: A Mixed Methods Study of Pediatricians and Parents" has been accepted for publication in the Journal of Community Medicine and Health Education: Open Access considering the statements provided in the article as personal opinion of the author which was found not having any conflict or biasness towards anything. As the article was a perspective one, information provided by the author was considered as an opinion to be expressed through publication.

Publisher took decision to make the article online solely based on the reviewers suggestion which considered the article not but a personal opinion of the author. However, it is found that the author have some personal concerns and issues, therefore, being retracted from the journal. Military hospital (JMH) ART Centre where all the people living with HIV (PLHIV) on antiretroviral therapy (ART) both gender from 15-46 years and above converged to collect their medications [13,14]. The details of the study participants are depicted in Tables 1-5.

Sample size

Sample size is one hundred and two (102) were obtained from PLHIV on retroviral therapy in Juba County and the seventy (70) samples of the participants from the public [15,16]. The consent of the participants was sought and then the questionnaires were administered to the participants who could read and write and those who could not read were interviewed by the researchers [17-19].

RETRACTED

