

Yoga and Arterial Stiffness: A New Perspective on Flexibility

Stacy D Hunter*

Research Director, Pure Action, Inc, USA

Stiffening of the large central arteries occurs with advancing age and precludes the development of overt cardiovascular disease (CVD) [1]. Arterial stiffening compromises the ability of the vessel to buffer cardiac pulsations and leads to exposure of the vascular beds to high stress and increasing blood pressure. Both endurance and strength training have been examined as potential mediators of vascular function with endurance training exhibiting a lowering effect and strength training demonstrating no effect or an increase in arterial stiffness in middle-aged and older adults [2,3]. Although the effects of endurance and strength training on arterial stiffness have been well documented, the impact of flexibility on the vasculature has only recently emerged as a topic of interest.

Yoga is an ancient mind-body practice originating in India thousands of years ago consisting of eight limbs, of which three: asana (posture); pranayama (breathing); and dhyana (meditation), have become increasingly practiced in the western world [4]. In the U.S., Hatha yoga, the physical practice combining asana and pranayama, is most common [4]. Yoga postures consist primarily of stretching and isometric exercises and are designed to improve flexibility, strength, balance, and focus. Therefore, yoga can be thought of as a form of flexibility training which could serve as a stimulus for vascular adaptation.

The relationship between yoga and vascular function was first examined in 2008 when a cross-sectional study demonstrated a lowering effect of yoga on arterial stiffness comparable to that of aerobic exercise [5]. In contrast, a subsequent cross-sectional study found no effect of yoga on arterial stiffness [6]. A potential explanation for this discrepancy is the variation in study design. In the aforementioned study [5], the yoga, endurance trained, and sedentary groups were not matched for body mass index (BMI) and yoga practitioners reportedly engaged in aerobic exercise, both of which could have impacted these findings as both exercise [2] and BMI [7] have been shown to affect arterial stiffness. The latter study limited their inclusion to yoga practitioners who did not regularly engage in other forms of exercise and matched the groups for BMI. Therefore, taken together, it appears that the previously shown lowering effect of yoga on arterial stiffness may have been partially due to confounding factors like habitual aerobic exercise or BMI.

Interventional studies in young and older adults implementing different styles of yoga have yielded conflicting results. Both Dhyana [8] and Bikram [9] yoga have reduced arterial stiffness in young adults whereas Bikram [9] and Ashtanga [10] yoga failed to significantly alter this measure in middle-aged and older adults. Thus, it appears that yoga only reduces arterial stiffness in young adults. Perhaps accounting for these opposing results is a loss of vascular plasticity with age as previously indicated by a study which found that exercise-induced adaptations in leg vascular resistance after 8 weeks of training were limited to young adults with no changes observed in older subjects [11].

Stretching is a central component of yoga postures which could serve as a stimulus for changes in arterial stiffness as evidenced by previously shown inverse associations between flexibility and arterial stiffness [12,13] and enhancements in arterial compliance with 12 weeks of stretching in middle-aged adults [14]. Given that currently

no evidence suggests a beneficial effect of isometric exercise on arterial stiffness, the stretching component appears to be the primary factor driving the association between yoga and arterial elasticity.

Physiological mechanisms accounting for the relationship between yoga and arterial stiffness remain unclear. However, potential mechanisms include possible sustained axial stretching of the arteries posing a stimulus for matrix reorganization which could lead to changes in arterial elasticity [15]. Recurrent increases in sympathetic nerve activity elicited by stretching during the yoga postures could also result in lower resting levels of sympathetic innervation of vascular smooth muscle [16]. Reductions in inflammation resulting in less superoxide scavenging of nitric oxide with yoga could also contribute to a lowering effect of yoga on arterial stiffness [17].

Yoga is an increasingly practiced alternative exercise mode with a large focus on flexibility. While the effects of traditional exercise on arterial stiffness have been well documented, more studies using evidence-based evaluation methods are needed to understand the potential impact of various types of hatha yoga on indices of vascular function in various age groups. Existing evidence suggests that yoga may be beneficial in enhancing the elasticity of the arteries in young adults. However, these effects are not yet apparent in middle-aged and older adults in whom arterial stiffening is presumably enhanced.

References

1. Tanaka H, Dinunno FA, Monahan KD, Clevenger CM, DeSouza CA, et al. (2000) Aging, habitual exercise, and dynamic arterial compliance. *Circulation* 102: 1270-1275.
2. Seals DR, Desouza CA, Donato AJ, Tanaka H (2008) Habitual exercise and arterial aging. *J Appl Physiol* 105: 1323-1332.
3. Miyachi M (2013) Effects of resistance training on arterial stiffness: a meta-analysis. *Br J Sports Med* 47: 393-396.
4. (2013) National Center for Complementary and Alternative Medicine (NCCAM). Yoga.
5. Duren CM, Cress ME, McCully KK (2008) The influence of physical activity and yoga on central arterial stiffness. *Dyn Med* 7: 2.
6. Hunter SD, Tarumi T, Dhindsa MS, Nualnim N, Tanaka H (2013) Hatha yoga and vascular function: results from cross-sectional and interventional studies. *J Bodyw Mov Ther* 17: 322-327.
7. Wildman RP, Mackey RH, Bostom A, Thompson T, Sutton-Tyrrell K (2003) Measures of obesity are associated with vascular stiffness in young and older adults. *Hypertension* 42: 468-473.

*Corresponding author: Stacy D Hunter, Research Director, Pure Action, Inc., 506 Oakland Avenue, Unit C, Austin TX 78703, USA, Tel: (512) 308-3338, ext: 103; Fax: (512) 861-6262; E-mail: stacy.d.hunter@gmail.com

Received September 28, 2013; Accepted October 23, 2013; Published October 28, 2013

Citation: Hunter SD (2013) Yoga and Arterial Stiffness: A New Perspective on Flexibility. *J Yoga Phys Ther* 3: 143. doi:10.4172/2157-7595.1000143

Copyright: © 2013 Hunter SD. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

8. Parshad O, Richards A, Asnani M (2011) Impact of yoga on haemodynamic function in healthy medical students. *West Indian Med J* 60: 148-152.
9. Hunter SD, Dhindsa MS, Cunningham E, Tarumi T, Alkatan M, et al. (2013) The Effect of Bikram Yoga on Arterial Stiffness in Young and Older Adults. *J Altern Complement Med*.
10. Kim S BM, Bemben DA (2012) Effects of an 8-month yoga intervention on arterial compliance and muscle strength in premenopausal women. *J Sports Sci Med* 11: 322-330.
11. Lawrenson L, Hoff J, Richardson RS (2004) Aging attenuates vascular and metabolic plasticity but does not limit improvement in muscle VO₂ max. *Am J Physiol Heart Circ Physiol* 286: 565-572.
12. Miles SC, Chun-Chung C, Hsin-Fu L, Hunter SD, Dhindsa M, et al. (2013) Arterial blood pressure and cardiovascular responses to yoga practice. *Altern Ther Health Med* 19: 38-45.
13. Yamamoto K, Kawano H, Gando Y, Iemitsu M, Murakami H, et al. (2009) Poor trunk flexibility is associated with arterial stiffening. *Am J Physiol Heart Circ Physiol* 297: 314-318.
14. Cortez-Cooper MY, Anton MM, Devan AE, Neidre DB, Cook JN, et al. (2008) The effects of strength training on central arterial compliance in middle-aged and older adults. *Eur J Cardiovasc Prev Rehabil* 15: 149-155.
15. Jackson ZS, Gottlieb AI, Langille BL (2002) Wall tissue remodeling regulates longitudinal tension in arteries. *Circ Res* 90: 918-925.
16. Yamamoto K, Kawada T, Kamiya A, Takaki H, Miyamoto T, et al. (2004) Muscle mechanoreflex induces the pressor response by resetting the arterial baroreflex neural arc. *Am J Physiol Heart Circ Physiol* 286: 382-388.
17. Pullen PR, Nagamia SH, Mehta PK, Thompson WR, Benardot D, et al. (2008) Effects of yoga on inflammation and exercise capacity in patients with chronic heart failure. *J Card Fail* 14: 407-413.